

## **Paper & Paperboard Testing Program**

### **Summary Report #3021 S - September 2019**

---

[Introduction to the Paper & Paperboard Interlaboratory Program](#)

[Explanation of Tables and Definitions of Terms](#)

| <b><u>Analysis</u></b> | <b><u>Analysis Name</u></b>  |
|------------------------|--|
| 305                    | Bursting Strength - Printing Papers  |
| 310                    | Bursting Strength - Packaging Papers   |
| 311                    | Tearing Strength - Newsprint   |
| 312                    | Tearing Strength - Printing Papers   |
| 314                    | Tearing Strength - Packaging Papers  |
| 320                    | Tensile Breaking Strength - Newsprint  |
| 321                    | Tensile Energy Absorption - Newsprint  |
| 322                    | Elongation to Break - Newsprint  |
| 325                    | Tensile Breaking Strength - Printing Papers                                  |
| 327                    | Tensile Energy Absorption - Printing Papers                                  |
| 328                    | Elongation to Break - Printing Papers  |
| 330                    | Tensile Breaking Strength - Packaging Papers                                 |
| 331                    | Tensile Energy Absorption - Packaging Papers                                 |
| 332                    | Elongation to Break - Packaging Papers                                       |
| 334                    | Folding Endurance (MIT) - Double Folds                                       |
| 336                    | Bending Resistance, Gurley Type  |
| 338                    | Bending Resistance, Taber Type - 0 to 10 Units                               |
| 339                    | Bending Resistance, Taber Type - 10 to 100 Taber Units                       |
| 340                    | Bending Resistance, Taber Type - 50 to 500 Taber Units - Recycled Paperboard |
| 343                    | Z-Direction Tensile  |
| 345                    | Z-Direction Tensile, Recycled Paperboard                                     |
| 348                    | Internal Bond Strength - Modified Scott Mechanics                            |
| 349                    | Internal Bond Strength - Scott Bond Models                                   |

---

## **The CTS Paper & Paperboard Interlaboratory Program**

In 1969, the National Bureau of Standards (now designated the National Institute for Standards and Technology) and the Technical Association of the Pulp and Paper Industry (TAPPI) developed an interlaboratory program for paper and paperboard testing. Since 1971, Collaborative Testing Services has operated the Collaborative Reference Program for Paper and Paperboard. With hundreds of organizations from around the world participating in these tests, this program has become one of the largest of its kind. The program allows laboratories to compare the performance of their testing with that of other participating laboratories, and provides a realistic picture of the state of paper testing.

### **About CTS**

Founded in 1971, Collaborative Testing Services, Inc. (CTS) is a privately - owned company that specializes in interlaboratory tests for a variety of industrial sectors: rubber, plastics, fasteners and metals, CKPG, paper, color and wine, as well as proficiency tests for forensic laboratories. All of the tests are designed to assist organizations in achieving and maintaining quality assurance objectives. Labs from the U.S., as well as more than 80 countries, currently participate in CTS programs.

If there are any questions on the report or testing program, please contact:

**Collaborative Testing Services, Inc.**  
21331 Gentry Drive  
Sterling, Virginia 20166 USA  
+1-571-434-1925  
FAX #: +1-571-434-1937  
[paper@cts-interlab.com](mailto:paper@cts-interlab.com)

**Office Hours: 8:00 a.m. - 4:30 p.m. ET**

## Key for Web Summary Reports (Page 1 of 2)

|                                       |   |
|---------------------------------------|---|
| <b>WebCode</b>                        | Assigned laboratory identification number (temporary) used to ensure lab confidentiality while permitting a lab to locate its data in the Paper Report published on the CTS Website. The WebCode for each analysis can be found on the datasheets and in the Performance Analysis Report mailed to each participant.  |
| <b>Lab Mean</b>                       | The average of the values obtained for each sample by the participant.  |
| <b>Grand Mean</b>                     | The average of the LAB MEANS for all included participants. Laboratories flagged with an X or an M (see DATA FLAG column) are excluded from the GRAND MEAN.   |
| <b>Difference from Grand Mean</b>     | The difference of the LAB MEAN from the GRAND MEAN.   |
| <b>Between-Lab Standard Deviation</b> | An indication of the precision of measurement between the laboratories. The greater the spread of the LAB MEANS about the GRAND MEAN, the larger the BETWEEN-LAB STANDARD DEVIATION (and vice versa).   |
| <b>Comparative Performance Value</b>  | An indication of how well a laboratory's results agree with the other participants. The CPV is a ratio indicating the number of standard deviations from the GRAND MEAN. The closer a laboratory's COMPARATIVE PERFORMANCE VALUE is to zero, the more consistent its results are with the other participants' data (and vice versa). The critical value for each CPV will vary depending on the number of labs participating in a test. |
| <b>Inst Code</b>                      | A code indicating the manufacturer of the instrument used to perform the test (see separate INSTRUMENT CODE LIST for each test section), if instruments are tracked.  |
| <b>Data Flag</b>                      | DATA FLAGS are assigned based on the simultaneous analysis of both samples tested. Refer to the following chart for an explanation of each symbol:  |

| <u>DATA FLAG</u> | <u>STATISTICALLY INCLUDED/EXCLUDED</u> | <u>ACTION REQUIRED</u>   |
|------------------|--|--|
| *                | INCLUDED                               | <b>CAUTION</b> - review testing procedure and monitor future results. Results fall outside 95% ellipse but within a 99% ellipse that is calculated but not drawn.  |
| X                | EXCLUDED                               | <b>STOP</b> - immediate review of data and/or testing procedure is required. Results fall outside the 99% ellipse. See specific notes following each table for more information on why the data is excluded. |
| M                | EXCLUDED                               | <b>PROCEED</b> - lab was unable to report data for at least one sample.  |

**Graph** - For each laboratory, the LAB MEAN for the first sample (x-axis) is plotted against the LAB MEAN for the second sample (y-axis) with each point representing a laboratory. The horizontal and vertical cross-hairs are the GRAND MEANS for each sample. When 20 or more laboratories are in the statistics, an ellipse is also drawn so that 95% of the time a randomly selected laboratory will be included inside the ellipse. Plotted data flags are explained on the previous page.

---

### Common Problems Highlighted in Footnotes

1. **Extreme data** - The laboratory's results for one or both samples are so inconsistent with those of the other participants that the lab mean(s) fall outside the plot. The participant is advised to immediately review his data and/or testing procedure.
  2. **Systematic bias** - The laboratory's results are either consistently high or low for both samples when compared to the other participants (the plotted point falls near the top or bottom of the ellipse). This indicates that the participant is performing the test with a constant bias. Causes of systematic errors include improper calibration, the particular make/model of equipment or a modification to the testing procedure.
  3. **Inconsistency in testing between samples/sample sets** - The laboratory's results indicate that there are differences in the way the two samples tested (the plotted point falls to the side of the ellipse). This type of error may be attributed to the analyst deviating from the procedure when testing one of the samples or a material interaction occurrence with the instrument or room conditions. The inconsistency is reflected in the CPVs for the two samples, such as a +1.5 CPV for sample A and a -2.2 CPV for sample B. CTS also will specify if the laboratory's data for one sample are high/low compared to the other participants. If this inconsistency is slight, the lab's plotted point will be an \* that falls on the edge of the ellipse.
  4. **Inconsistency in testing within a sample** - The laboratory's within-lab standard deviation for a specified sample is high when compared to the other participants, often causing the lab's plotted point to fall outside of the ellipse.
- 

Labs flagged with an \* are not typically included in the footnotes of a data table. These labs may locate their position in the control ellipse and use the definitions above to help identify the type of testing error. An \* should serve as a caution flag, a "yellow light", to a lab. If this error is repeated in future rounds, a lab may need to stop and review its testing procedures. The initial data flag is not cause for alarm. Interlaboratory tests conducted at regular intervals permit a lab to recognize trends in testing.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 305 Bursting Strength - Printing Papers TAPPI Official Test Method T403

| WebCode | Data Flag | Sample SA71 |                      |       | Sample SA72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 2GLRM8  |           | 38.50       | -6.37                | -1.42 | 38.40       | -5.67                | -1.35 |
| 2HVRQT  |           | 40.80       | -4.07                | -0.91 | 40.30       | -3.77                | -0.90 |
| 4ZMPWD  |           | 45.43       | 0.55                 | 0.12  | 46.84       | 2.77                 | 0.66  |
| 7QBA4B  |           | 45.84       | 0.97                 | 0.21  | 44.74       | 0.67                 | 0.16  |
| 7YJ29Y  |           | 50.85       | 5.98                 | 1.33  | 46.60       | 2.53                 | 0.60  |
| AB4JDE  |           | 43.63       | -1.25                | -0.28 | 43.24       | -0.83                | -0.20 |
| AJGB3C  |           | 41.92       | -2.96                | -0.66 | 38.67       | -5.40                | -1.29 |
| C4G9E4  |           | 48.30       | 3.43                 | 0.76  | 46.20       | 2.13                 | 0.51  |
| E4AYGN  |           | 42.16       | -2.71                | -0.60 | 41.93       | -2.14                | -0.51 |
| EERKLH  | *         | 57.95       | 13.08                | 2.91  | 56.56       | 12.49                | 2.98  |
| EQ4RHH  |           | 45.32       | 0.45                 | 0.10  | 43.22       | -0.85                | -0.20 |
| F3EKQP  |           | 44.51       | -0.37                | -0.08 | 44.64       | 0.57                 | 0.14  |
| GCXDGC  |           | 47.49       | 2.62                 | 0.58  | 45.85       | 1.78                 | 0.42  |
| GYNTXJ  |           | 40.74       | -4.13                | -0.92 | 40.46       | -3.61                | -0.86 |
| KTQFKK  |           | 41.25       | -3.63                | -0.81 | 40.32       | -3.74                | -0.89 |
| NQ8WQP  | *         | 50.70       | 5.83                 | 1.30  | 53.20       | 9.13                 | 2.18  |
| Q4P7QZ  |           | 41.41       | -3.46                | -0.77 | 41.55       | -2.51                | -0.60 |
| QC464B  |           | 43.95       | -0.93                | -0.21 | 45.82       | 1.75                 | 0.42  |
| RDP993  |           | 41.26       | -3.61                | -0.80 | 42.29       | -1.77                | -0.42 |
| RTLFHW  |           | 42.51       | -2.36                | -0.53 | 42.87       | -1.19                | -0.28 |
| UEE2FQ  |           | 47.78       | 2.91                 | 0.65  | 46.07       | 2.00                 | 0.48  |
| VC9Y7E  |           | 50.87       | 6.00                 | 1.33  | 45.21       | 1.15                 | 0.27  |
| WGCGJX  |           | 40.25       | -4.62                | -1.03 | 41.21       | -2.86                | -0.68 |
| Z9QPLV  |           | 43.52       | -1.35                | -0.30 | 41.43       | -2.64                | -0.63 |

| Summary Statistics        | Sample SA71 | Sample SA72 |
|---------------------------|-------------|-------------|
| <b>Grand Means</b>        | 44.87 psi   | 44.07 psi   |
| <b>Stnd Dev Btwn Labs</b> | 4.50 psi    | 4.20 psi    |

Statistics based on 24 of 24 reporting participants.




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 305 Bursting Strength - Printing Papers TAPPI Official Test Method T403

Report #3021S,  
September 2019

**Grand Mean Sample SA71 = 44.872**  
psi

**Grand Mean Sample SA72 = 44.068**  
psi





# Paper & Paperboard Interlaboratory Testing Program

## Analysis 310 Bursting Strength - Packaging Papers TAPPI Official Test Method T403

Report #3021S,  
September 2019

| WebCode | Data Flag | Sample SB71 |                      |       | Sample SB72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 2ER43Q  |           | 67.36       | 9.02                 | 1.49  | 65.65       | 7.51                 | 1.27  |
| 2GLRM8  |           | 62.30       | 3.95                 | 0.65  | 60.61       | 2.47                 | 0.42  |
| 2QNAYA  |           | 49.80       | -8.54                | -1.41 | 49.30       | -8.84                | -1.50 |
| 4WKT8J  |           | 58.06       | -0.28                | -0.05 | 57.72       | -0.42                | -0.07 |
| 7XVAJM  |           | 49.95       | -8.39                | -1.38 | 49.50       | -8.64                | -1.47 |
| 8AKL97  |           | 58.12       | -0.22                | -0.04 | 56.81       | -1.33                | -0.23 |
| A83EZU  |           | 62.44       | 4.10                 | 0.68  | 64.54       | 6.40                 | 1.09  |
| AX2Q9W  |           | 61.74       | 3.40                 | 0.56  | 60.70       | 2.56                 | 0.43  |
| CHDMEX  | *         | 69.50       | 11.16                | 1.84  | 64.30       | 6.16                 | 1.05  |
| CHWENH  | X         | 46.40       | -11.94               | -1.97 | 59.00       | 0.86                 | 0.15  |
| CRK8V9  |           | 61.57       | 3.23                 | 0.53  | 60.51       | 2.37                 | 0.40  |
| DBX4WJ  |           | 60.40       | 2.06                 | 0.34  | 63.70       | 5.56                 | 0.94  |
| EERKLH  |           | 69.39       | 11.05                | 1.82  | 69.06       | 10.92                | 1.85  |
| JBVPQC  |           | 54.72       | -3.62                | -0.60 | 57.51       | -0.63                | -0.11 |
| KL97VN  |           | 57.50       | -0.84                | -0.14 | 56.20       | -1.94                | -0.33 |
| PPVGNW  |           | 71.61       | 13.27                | 2.19  | 73.06       | 14.92                | 2.53  |
| QC464B  |           | 54.87       | -3.47                | -0.57 | 57.30       | -0.83                | -0.14 |
| RTLFHW  |           | 55.19       | -3.15                | -0.52 | 56.13       | -2.01                | -0.34 |
| TP3QJ7  |           | 63.53       | 5.18                 | 0.85  | 62.88       | 4.74                 | 0.80  |
| TR6RJ3  |           | 48.85       | -9.49                | -1.56 | 49.20       | -8.94                | -1.52 |
| UYMCE3  |           | 50.60       | -7.74                | -1.28 | 51.92       | -6.22                | -1.05 |
| UZCTCG  |           | 54.85       | -3.49                | -0.58 | 57.35       | -0.79                | -0.13 |
| VPBRBW  |           | 54.81       | -3.53                | -0.58 | 51.58       | -6.56                | -1.11 |
| VWUVHY  |           | 54.72       | -3.62                | -0.60 | 52.49       | -5.65                | -0.96 |
| X7BFHD  |           | 50.60       | -7.74                | -1.28 | 51.80       | -6.34                | -1.08 |
| Y386YJ  |           | 57.66       | -0.68                | -0.11 | 60.34       | 2.20                 | 0.37  |
| YMEDDH  |           | 58.17       | -0.18                | -0.03 | 56.08       | -2.06                | -0.35 |
| YP6CU2  |           | 60.75       | 2.41                 | 0.40  | 58.60       | 0.46                 | 0.08  |
| YVQAHN  |           | 55.81       | -2.53                | -0.42 | 56.94       | -1.20                | -0.20 |
| Z9QPLV  |           | 57.07       | -1.28                | -0.21 | 54.26       | -3.88                | -0.66 |

| Summary Statistics | Sample SB71 | Sample SB72 |
|--------------------|-------------|-------------|
| Grand Means        | 58.34 psi   | 58.14 psi   |
| Stnd Dev Btwn Labs | 6.07 psi    | 5.89 psi    |

Statistics based on 29 of 30 reporting participants.

### Comments on Assigned Data Flags for Test #310

CHWENH (X) - Inconsistent in testing between samples.




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 310 Bursting Strength - Packaging Papers TAPPI Official Test Method T403

Report #3021S,  
September 2019

Grand Mean Sample SB71 = 58.343  
psi

Grand Mean Sample SB72 = 58.139  
psi





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 311 Tearing Strength - Newsprint TAPPI Official Test Method T414

| WebCode | Data Flag | <u>Sample SK71</u> |                      |       | <u>Sample SK72</u> |                      |       |
|---------|-----------|--------------------|----------------------|-------|--------------------|----------------------|-------|
|         |           | Lab Mean           | Diff from Grand Mean | CPV   | Lab Mean           | Diff from Grand Mean | CPV   |
| 2HVRQT  |           | 21.00              | -4.65                | -0.69 | 21.29              | -4.40                | -0.65 |
| LMYMRG  |           | 32.27              | 6.63                 | 0.99  | 32.19              | 6.50                 | 0.96  |
| UEE2FQ  |           | 20.42              | -5.23                | -0.78 | 20.17              | -5.52                | -0.81 |
| WX6A97  |           | 33.67              | 8.03                 | 1.20  | 33.98              | 8.28                 | 1.22  |
| Z9QPLV  |           | 20.86              | -4.78                | -0.71 | 20.84              | -4.85                | -0.71 |

| <b>Summary Statistics</b>                          | <u>Sample SK71</u> | <u>Sample SK72</u> |
|--|--------------------|--------------------|
| <b>Grand Means</b>                                 | 25.65 Grams        | 25.69 Grams        |
| <b>Stnd Dev Btwn Labs</b>                          | 6.71 Grams         | 6.79 Grams         |
| Statistics based on 5 of 5 reporting participants. |                    |                    |




# Paper & Paperboard Interlaboratory Testing Program

Analysis 311  
Tearing Strength - Newsprint  
TAPPI Official Test Method T414

Report #3021S,  
September 2019

**Grand Mean Sample SK71 = 25.646**  
Grams

**Grand Mean Sample SK72 = 25.695**  
Grams



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 312 Tearing Strength - Printing Papers TAPPI Official Test Method T414

| WebCode | Data Flag | Sample SC71 |                      |       | Sample SC72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 2A2MWR  |           | 67.80       | 2.43                 | 0.75  | 68.40       | 3.12                 | 0.85  |
| 2GKUDC  | X         | 77.78       | 12.41                | 3.84  | 81.35       | 16.07                | 4.39  |
| 2QNAYA  |           | 67.32       | 1.95                 | 0.60  | 66.42       | 1.14                 | 0.31  |
| 2U78NL  | *         | 74.85       | 9.49                 | 2.93  | 76.57       | 11.28                | 3.08  |
| 4ZMPWD  |           | 61.06       | -4.31                | -1.33 | 60.14       | -5.14                | -1.40 |
| 7QBA4B  |           | 65.51       | 0.14                 | 0.04  | 68.32       | 3.04                 | 0.83  |
| 823FCY  |           | 60.30       | -5.07                | -1.57 | 59.00       | -6.28                | -1.72 |
| 84DZHN  |           | 67.80       | 2.43                 | 0.75  | 65.20       | -0.08                | -0.02 |
| 8AKL97  |           | 69.64       | 4.27                 | 1.32  | 69.59       | 4.30                 | 1.18  |
| 8AX9QK  |           | 62.00       | -3.37                | -1.04 | 61.38       | -3.90                | -1.07 |
| 8GFQ38  |           | 61.10       | -4.27                | -1.32 | 64.10       | -1.18                | -0.32 |
| AJGB3C  |           | 66.96       | 1.60                 | 0.49  | 65.95       | 0.66                 | 0.18  |
| BH42P6  |           | 67.75       | 2.38                 | 0.74  | 64.89       | -0.39                | -0.11 |
| C4G9E4  |           | 65.56       | 0.19                 | 0.06  | 65.19       | -0.09                | -0.03 |
| C798UM  |           | 63.66       | -1.71                | -0.53 | 63.04       | -2.24                | -0.61 |
| CHDMEX  |           | 60.16       | -5.21                | -1.61 | 58.74       | -6.54                | -1.79 |
| CHWENH  |           | 71.40       | 6.03                 | 1.87  | 74.20       | 8.92                 | 2.44  |
| CRK8V9  |           | 63.31       | -2.05                | -0.63 | 63.58       | -1.70                | -0.46 |
| E4AYGN  |           | 69.54       | 4.17                 | 1.29  | 69.47       | 4.19                 | 1.14  |
| EERKLH  |           | 66.11       | 0.74                 | 0.23  | 66.60       | 1.31                 | 0.36  |
| EGVDKM  |           | 68.74       | 3.37                 | 1.04  | 67.98       | 2.70                 | 0.74  |
| EREU6G  |           | 63.47       | -1.90                | -0.59 | 63.24       | -2.04                | -0.56 |
| F3EKQP  |           | 65.80       | 0.43                 | 0.13  | 67.40       | 2.12                 | 0.58  |
| FHKYQJ  |           | 67.26       | 1.89                 | 0.59  | 64.78       | -0.50                | -0.14 |
| GBWM3G  |           | 70.12       | 4.76                 | 1.47  | 70.54       | 5.26                 | 1.44  |
| GCXDGC  |           | 62.64       | -2.73                | -0.84 | 65.38       | 0.10                 | 0.03  |
| GDMP86  | X         | 81.62       | 16.25                | 5.02  | 81.51       | 16.23                | 4.43  |
| GK9Z3K  |           | 59.84       | -5.53                | -1.71 | 60.68       | -4.60                | -1.26 |
| GYNTXJ  |           | 63.00       | -2.37                | -0.73 | 63.76       | -1.52                | -0.42 |
| HHGZM2  | *         | 68.62       | 3.25                 | 1.01  | 64.33       | -0.95                | -0.26 |
| J23EEV  |           | 64.66       | -0.71                | -0.22 | 64.56       | -0.72                | -0.20 |
| JBVPQC  |           | 65.71       | 0.35                 | 0.11  | 66.15       | 0.87                 | 0.24  |
| KTQFKK  |           | 66.12       | 0.75                 | 0.23  | 65.74       | 0.46                 | 0.13  |
| LJVWJG  | X         | 77.06       | 11.70                | 3.62  | 74.46       | 9.18                 | 2.51  |
| NQ8WQP  |           | 63.50       | -1.87                | -0.58 | 62.10       | -3.18                | -0.87 |
| PEUWUV  |           | 66.05       | 0.68                 | 0.21  | 67.84       | 2.56                 | 0.70  |
| QC464B  |           | 61.93       | -3.44                | -1.06 | 62.92       | -2.37                | -0.65 |
| QRVQ2Y  |           | 65.00       | -0.37                | -0.11 | 66.09       | 0.81                 | 0.22  |
| RDP993  |           | 66.92       | 1.56                 | 0.48  | 67.14       | 1.86                 | 0.51  |
| RHLV4B  |           | 64.20       | -1.17                | -0.36 | 64.80       | -0.48                | -0.13 |



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 312 Tearing Strength - Printing Papers TAPPI Official Test Method T414

| WebCode | Data Flag | Sample SC71 |                      |       | Sample SC72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| RTLFHW  | X         | 45.76       | -19.61               | -6.06 | 45.32       | -19.96               | -5.45 |
| UZCTCG  |           | 64.20       | -1.17                | -0.36 | 63.35       | -1.93                | -0.53 |
| V4VA3Z  |           | 58.48       | -6.89                | -2.13 | 56.58       | -8.70                | -2.38 |
| VC9Y7E  |           | 65.80       | 0.43                 | 0.13  | 67.80       | 2.52                 | 0.69  |
| VJB7QA  |           | 62.98       | -2.39                | -0.74 | 62.05       | -3.23                | -0.88 |
| VWUVHY  |           | 66.81       | 1.45                 | 0.45  | 66.36       | 1.08                 | 0.30  |
| WGCGJX  |           | 66.85       | 1.49                 | 0.46  | 67.13       | 1.85                 | 0.50  |
| XMV7ER  |           | 65.24       | -0.12                | -0.04 | 65.42       | 0.14                 | 0.04  |
| Y386YJ  |           | 66.24       | 0.87                 | 0.27  | 62.55       | -2.73                | -0.75 |
| Z9QPLV  |           | 64.78       | -0.58                | -0.18 | 65.54       | 0.26                 | 0.07  |

| Summary Statistics        | Sample SC71 | Sample SC72 |
|---------------------------|-------------|-------------|
| <b>Grand Means</b>        | 65.37 Grams | 65.28 Grams |
| <b>Stnd Dev Btwn Labs</b> | 3.24 Grams  | 3.66 Grams  |

Statistics based on 46 of 50 reporting participants.

### Comments on Assigned Data Flags for Test #312

2GKUDC (X) - Data for both samples are high. Possible Systematic Error. Inconsistent within the determinations of sample SC71.

LJVWJG (X) - Data for sample SC71 are high.

GDMP86 (X) - Data for both samples are high. Possible Systematic Error. Inconsistent within the determinations of sample SC71.

RTLFHW (X) - Extreme Data.

### Analysis Notes:

GBWM3G - One determination removed from the Lab Mean of Sample SC72 per Grubb's Test at 1% risk (TAPPI 1205).




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 312 Tearing Strength - Printing Papers TAPPI Official Test Method T414

Report #3021S,  
September 2019

**Grand Mean Sample SC71 = 65.365**  
Grams

**Grand Mean Sample SC72 = 65.282**  
Grams





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 314 Tearing Strength - Packaging Papers TAPPI Official Test Method T414

| WebCode | Data Flag | Sample SD71 |                      |       | Sample SD72                      |                      |       |
|---------|-----------|-------------|----------------------|-------|----------------------------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean                         | Diff from Grand Mean | CPV   |
| 29P2XQ  |           | 226.0       | 40.1                 | 1.86  | 245.0                            | 26.1                 | 1.16  |
| 2GLRM8  |           | 156.4       | -29.5                | -1.36 | 195.2                            | -23.8                | -1.06 |
| 3RUW6M  |           | 214.6       | 28.7                 | 1.33  | 253.0                            | 34.0                 | 1.52  |
| 4WKT8J  | *         | 215.3       | 29.4                 | 1.36  | 277.7                            | 58.7                 | 2.62  |
| 6CVUGE  | M         | 171.8       | -14.0                | -0.65 | No data reported for this sample |                      |       |
| 6NNA7F  | X         | 817.9       | 632.0                | 29.25 | 870.4                            | 651.4                | 29.05 |
| 7XVAJM  |           | 205.4       | 19.5                 | 0.90  | 244.4                            | 25.4                 | 1.13  |
| 7ZEEZX  |           | 175.5       | -10.4                | -0.48 | 223.8                            | 4.8                  | 0.22  |
| 84XU4X  |           | 195.4       | 9.5                  | 0.44  | 245.6                            | 26.6                 | 1.19  |
| 9KF4GJ  |           | 179.3       | -6.6                 | -0.30 | 204.8                            | -14.2                | -0.63 |
| 9W8QME  |           | 202.0       | 16.1                 | 0.75  | 225.1                            | 6.1                  | 0.27  |
| A64XUR  | X         | 389.3       | 203.4                | 9.41  | 419.0                            | 200.0                | 8.92  |
| A83EZU  |           | 197.3       | 11.4                 | 0.53  | 224.1                            | 5.1                  | 0.23  |
| AMXQEP  |           | 166.9       | -19.0                | -0.88 | 199.2                            | -19.8                | -0.88 |
| AX2Q9W  |           | 188.0       | 2.1                  | 0.10  | 217.2                            | -1.7                 | -0.08 |
| B6F2TB  |           | 175.6       | -10.3                | -0.48 | 218.8                            | -0.2                 | -0.01 |
| CAFZG7  |           | 167.9       | -18.0                | -0.83 | 202.6                            | -16.3                | -0.73 |
| CALC3G  |           | 138.6       | -47.3                | -2.19 | 177.3                            | -41.7                | -1.86 |
| CHWENH  | *         | 240.4       | 54.5                 | 2.52  | 247.2                            | 28.2                 | 1.26  |
| EREU6G  |           | 167.6       | -18.3                | -0.85 | 193.8                            | -25.2                | -1.12 |
| ERFKJC  |           | 180.7       | -5.2                 | -0.24 | 201.3                            | -17.7                | -0.79 |
| G4DJVE  |           | 157.3       | -28.6                | -1.32 | 188.0                            | -31.0                | -1.38 |
| GNRU7D  |           | 191.8       | 5.9                  | 0.27  | 220.6                            | 1.6                  | 0.07  |
| KQZG42  |           | 185.3       | -0.5                 | -0.02 | 228.3                            | 9.3                  | 0.41  |
| LPPPX6  |           | 181.1       | -4.8                 | -0.22 | 217.8                            | -1.2                 | -0.05 |
| M76HYE  |           | 178.6       | -7.3                 | -0.34 | 211.7                            | -7.3                 | -0.33 |
| MH6X3X  |           | 220.1       | 34.2                 | 1.58  | 258.0                            | 39.0                 | 1.74  |
| MN9UUUA |           | 188.0       | 2.2                  | 0.10  | 241.0                            | 22.0                 | 0.98  |
| MTYBZ9  |           | 178.8       | -7.1                 | -0.33 | 205.6                            | -13.4                | -0.60 |
| NBHKG4  |           | 208.5       | 22.7                 | 1.05  | 233.9                            | 14.9                 | 0.67  |
| NQ8WQP  |           | 194.3       | 8.4                  | 0.39  | 216.9                            | -2.1                 | -0.09 |
| Q3VH4X  |           | 173.9       | -11.9                | -0.55 | 219.4                            | 0.5                  | 0.02  |
| QTC2J4  |           | 165.3       | -20.6                | -0.95 | 212.7                            | -6.3                 | -0.28 |
| RTLFHW  |           | 147.3       | -38.6                | -1.79 | 167.1                            | -51.9                | -2.31 |
| TFAMAG  |           | 194.7       | 8.8                  | 0.41  | 235.4                            | 16.4                 | 0.73  |
| TR6RJ3  |           | 192.9       | 7.0                  | 0.32  | 228.0                            | 9.0                  | 0.40  |
| VPBRBW  |           | 171.6       | -14.3                | -0.66 | 203.0                            | -16.0                | -0.71 |
| YMEDDH  |           | 201.4       | 15.5                 | 0.72  | 224.9                            | 5.9                  | 0.26  |
| YP6CU2  |           | 172.5       | -13.4                | -0.62 | 205.3                            | -13.7                | -0.61 |
| YVQAHN  |           | 157.2       | -28.7                | -1.33 | 189.1                            | -29.8                | -1.33 |



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 314 Tearing Strength - Packaging Papers TAPPI Official Test Method T414

| WebCode | Data Flag | Sample SD71 |                      |      | Sample SD72 |                      |       |
|---------|-----------|-------------|----------------------|------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV  | Lab Mean    | Diff from Grand Mean | CPV   |
| Z9QPLV  |           | 192.5       | 6.6                  | 0.31 | 219.4       | 0.4                  | 0.02  |
| ZQ64YK  |           | 201.9       | 16.0                 | 0.74 | 219.1       | 0.1                  | 0.01  |
| ZQPM4Q  |           | 187.2       | 1.3                  | 0.06 | 218.0       | -1.0                 | -0.05 |

| Summary Statistics        | Sample SD71  | Sample SD72  |
|---------------------------|--------------|--------------|
| <b>Grand Means</b>        | 185.87 Grams | 218.98 Grams |
| <b>Stnd Dev Btwn Labs</b> | 21.61 Grams  | 22.42 Grams  |

Statistics based on 40 of 43 reporting participants.

### Comments on Assigned Data Flags for Test #314

6NNA7F (X) - Extreme Data.

6CVUGE (M) - Participant did not submit data for sample .

A64XUR (X) - Extreme Data.

### Analysis Notes:

6NNA7F - Data possibly off by a factor of 4.




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 314 Tearing Strength - Packaging Papers TAPPI Official Test Method T414

Report #3021S,  
September 2019

**Grand Mean Sample SD71 = 185.87**  
Grams

**Grand Mean Sample SD72 = 218.98**  
Grams





# Paper & Paperboard Interlaboratory Testing Program

## Analysis 320 Tensile Breaking Strength - Newsprint TAPPI Official Test Method T494

Report #3021S,  
September 2019

| WebCode | Data Flag | Sample SR71 |                      |        | Sample SR72 |                      |        |
|---------|-----------|-------------|----------------------|--------|-------------|----------------------|--------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV    | Lab Mean    | Diff from Grand Mean | CPV    |
| 2HVRQT  | X         | 20.356      | 18.234               | 396.01 | 22.446      | 20.354               | 433.26 |
| AB4JDE  |           | 2.052       | -0.071               | -1.54  | 2.081       | -0.011               | -0.24  |
| DBX4WJ  |           | 2.176       | 0.054                | 1.16   | 2.139       | 0.047                | 1.00   |
| EREU6G  |           | 2.176       | 0.054                | 1.16   | 2.089       | -0.003               | -0.07  |
| GCXDGC  |           | 2.122       | -0.001               | -0.01  | 2.049       | -0.043               | -0.92  |
| LMYMRG  |           | 2.062       | -0.060               | -1.31  | 2.023       | -0.069               | -1.47  |
| PEUWUV  |           | 2.111       | -0.011               | -0.25  | 2.103       | 0.011                | 0.23   |
| QC464B  |           | 2.101       | -0.021               | -0.47  | 2.076       | -0.016               | -0.34  |
| UEE2FQ  |           | 2.164       | 0.042                | 0.90   | 2.183       | 0.091                | 1.94   |
| WX6A97  |           | 2.139       | 0.016                | 0.35   | 2.086       | -0.006               | -0.12  |

| Summary Statistics        | Sample SR71 | Sample SR72 |
|---------------------------|-------------|-------------|
| <b>Grand Means</b>        | 2.12 kN/m   | 2.09 kN/m   |
| <b>Stnd Dev Btwn Labs</b> | 0.05 kN/m   | 0.05 kN/m   |

Statistics based on 9 of 10 reporting participants.

### Comments on Assigned Data Flags for Test #320

2HVRQT (X) - Extreme Data.

### Analysis Notes:

2HVRQT - Data possibly off by a factor of 10.




# Paper & Paperboard Interlaboratory Testing Program

Analysis 320  
Tensile Breaking Strength - Newsprint  
TAPPI Official Test Method T494

Report #3021S,  
September 2019

**Grand Mean Sample SR71 = 2.1225**  
kN/m

**Grand Mean Sample SR72 = 2.0920**  
kN/m



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

## Analysis 321 Tensile Energy Absorption - Newsprint TAPPI Official Test Method T494

Report #3021S,  
September 2019

| WebCode | Data Flag | Sample SR71 |                      |       | Sample SR72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 2HVRQT  |           | 14.64       | 0.94                 | 0.63  | 14.07       | 0.78                 | 0.55  |
| AB4JDE  |           | 12.88       | -0.82                | -0.55 | 13.32       | 0.03                 | 0.02  |
| DBX4WJ  |           | 14.63       | 0.92                 | 0.62  | 14.49       | 1.20                 | 0.85  |
| EREU6G  |           | 15.00       | 1.30                 | 0.87  | 12.61       | -0.68                | -0.48 |
| GCXDGC  |           | 15.59       | 1.88                 | 1.26  | 15.60       | 2.31                 | 1.63  |
| LMYMRG  |           | 11.30       | -2.40                | -1.61 | 11.06       | -2.23                | -1.57 |
| PEUWUV  |           | 14.67       | 0.97                 | 0.65  | 13.71       | 0.42                 | 0.30  |
| QC464B  |           | 12.12       | -1.58                | -1.06 | 12.14       | -1.15                | -0.82 |
| UEE2FQ  |           | 14.21       | 0.51                 | 0.34  | 14.26       | 0.97                 | 0.69  |
| WX6A97  |           | 11.99       | -1.72                | -1.15 | 11.63       | -1.66                | -1.17 |

| Summary Statistics        | Sample SR71       | Sample SR72       |
|---------------------------|-------------------|-------------------|
| <b>Grand Means</b>        | 13.70 Joules/sq m | 13.29 Joules/sq m |
| <b>Stnd Dev Btwn Labs</b> | 1.49 Joules/sq m  | 1.42 Joules/sq m  |

Statistics based on 10 of 10 reporting participants.




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 321 Tensile Energy Absorption - Newsprint TAPPI Official Test Method T494

Report #3021S,  
September 2019

**Grand Mean Sample SR71 = 13.703**  
**Joules/sq m**

**Grand Mean Sample SR72 = 13.289**  
**Joules/sq m**



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

## Analysis 322 Elongation to Break - Newsprint TAPPI Official Test Method T494

Report #3021S,  
September 2019

| WebCode | Data Flag | Sample SR71 |                      |       | Sample SR72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 2HVRQT  |           | 1.420       | 0.284                | 1.72  | 1.258       | 0.166                | 1.21  |
| AB4JDE  |           | 1.067       | -0.070               | -0.42 | 1.082       | -0.010               | -0.08 |
| DBX4WJ  |           | 1.139       | 0.002                | 0.01  | 1.140       | 0.048                | 0.35  |
| EREU6G  |           | 1.000       | -0.136               | -0.83 | 0.899       | -0.193               | -1.40 |
| GCXDGC  |           | 1.122       | -0.014               | -0.09 | 1.069       | -0.023               | -0.17 |
| PEUWUV  |           | 1.137       | 0.001                | 0.00  | 1.084       | -0.008               | -0.06 |
| QC464B  |           | 0.982       | -0.154               | -0.94 | 0.986       | -0.106               | -0.77 |
| UEE2FQ  |           | 1.386       | 0.250                | 1.52  | 1.334       | 0.242                | 1.76  |
| WX6A97  |           | 0.975       | -0.161               | -0.98 | 0.976       | -0.116               | -0.84 |

| Summary Statistics        | Sample SR71  | Sample SR72  |
|---------------------------|--------------|--------------|
| <b>Grand Means</b>        | 1.14 Percent | 1.09 Percent |
| <b>Stnd Dev Btwn Labs</b> | 0.16 Percent | 0.14 Percent |

Statistics based on 9 of 9 reporting participants.




# Paper & Paperboard Interlaboratory Testing Program

Analysis 322  
Elongation to Break - Newsprint  
TAPPI Official Test Method T494

Report #3021S,  
September 2019

**Grand Mean Sample SR71 = 1.1364**  
**Percent**

**Grand Mean Sample SR72 = 1.0920**  
**Percent**



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 325 Tensile Breaking Strength - Printing Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SF71 |                      |       | Sample SF72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 2GKUDC  | *         | 7.703       | 0.944                | 2.58  | 7.794       | 1.050                | 2.71  | LB         |
| 2U78NL  |           | 6.762       | 0.004                | 0.01  | 6.652       | -0.092               | -0.24 | XX         |
| 4ZMPWD  |           | 6.925       | 0.166                | 0.45  | 6.676       | -0.068               | -0.18 | TJ         |
| 7QBA4B  |           | 7.142       | 0.384                | 1.05  | 7.028       | 0.284                | 0.73  | TP         |
| 823FCY  |           | 6.518       | -0.240               | -0.66 | 6.606       | -0.138               | -0.36 | TB         |
| 84DZHN  |           | 7.277       | 0.518                | 1.41  | 7.473       | 0.729                | 1.88  | XX         |
| 8AX9QK  |           | 6.814       | 0.056                | 0.15  | 7.017       | 0.273                | 0.71  | T0         |
| 8GFQ38  |           | 6.618       | -0.141               | -0.38 | 6.761       | 0.017                | 0.04  | T0         |
| AJGB3C  |           | 6.188       | -0.571               | -1.56 | 6.086       | -0.658               | -1.70 | LA         |
| BH42P6  |           | 6.825       | 0.066                | 0.18  | 6.709       | -0.035               | -0.09 | VM         |
| C4G9E4  |           | 6.782       | 0.023                | 0.06  | 6.774       | 0.030                | 0.08  | LH         |
| CHDMEX  |           | 7.256       | 0.497                | 1.35  | 7.236       | 0.492                | 1.27  | T0         |
| CRK8V9  |           | 6.520       | -0.239               | -0.65 | 6.470       | -0.273               | -0.71 | LH         |
| E4AYGN  |           | 6.545       | -0.214               | -0.58 | 6.950       | 0.206                | 0.53  | LH         |
| EGVDKM  |           | 6.074       | -0.685               | -1.87 | 6.010       | -0.734               | -1.89 | ID         |
| EQ4RHH  |           | 6.322       | -0.437               | -1.19 | 6.242       | -0.502               | -1.29 | DL         |
| F3EKQP  |           | 6.674       | -0.085               | -0.23 | 6.650       | -0.093               | -0.24 | LX         |
| FUHUZ8  |           | 6.728       | -0.031               | -0.08 | 6.964       | 0.220                | 0.57  | LX         |
| GBWM3G  |           | 6.226       | -0.533               | -1.45 | 6.392       | -0.352               | -0.91 | T0         |
| GDMP86  |           | 6.989       | 0.231                | 0.63  | 7.159       | 0.415                | 1.07  | LA         |
| GK9Z3K  |           | 7.291       | 0.532                | 1.45  | 7.320       | 0.576                | 1.49  | LH         |
| GYNTXJ  |           | 6.596       | -0.163               | -0.44 | 6.459       | -0.285               | -0.73 | TB         |
| HHGZM2  | *         | 5.844       | -0.915               | -2.49 | 5.577       | -1.167               | -3.01 | IM         |
| J23EEV  |           | 6.850       | 0.091                | 0.25  | 6.758       | 0.014                | 0.04  | LE         |
| KTQFKK  |           | 6.969       | 0.211                | 0.57  | 6.808       | 0.064                | 0.16  | TF         |
| L6HLT9  |           | 7.029       | 0.270                | 0.74  | 6.873       | 0.129                | 0.33  | FP         |
| LJVWJG  |           | 6.390       | -0.368               | -1.00 | 6.562       | -0.182               | -0.47 | XX         |
| PHT9QV  |           | 6.727       | -0.032               | -0.09 | 6.366       | -0.378               | -0.97 | XX         |
| Q4P7QZ  |           | 7.242       | 0.483                | 1.32  | 7.052       | 0.308                | 0.79  | LH         |
| QC464B  |           | 6.333       | -0.426               | -1.16 | 6.646       | -0.098               | -0.25 | LH         |
| QRVQ2Y  |           | 6.977       | 0.218                | 0.60  | 7.124       | 0.380                | 0.98  | LI         |
| RDP993  |           | 7.330       | 0.571                | 1.56  | 7.185       | 0.441                | 1.14  | LF         |
| RHLV4B  |           | 7.093       | 0.335                | 0.91  | 6.904       | 0.160                | 0.41  | TC         |
| RJGJHZ  |           | 6.887       | 0.128                | 0.35  | 6.654       | -0.090               | -0.23 | RE         |
| RTLFHW  |           | 6.964       | 0.205                | 0.56  | 6.919       | 0.175                | 0.45  | TM         |
| UZCTCG  |           | 6.656       | -0.102               | -0.28 | 6.460       | -0.284               | -0.73 | TF         |
| V4VA3Z  |           | 6.607       | -0.152               | -0.41 | 6.688       | -0.056               | -0.14 | TF         |
| VC9Y7E  |           | 6.623       | -0.136               | -0.37 | 6.706       | -0.038               | -0.10 | LH         |
| VJB7QA  |           | 6.747       | -0.012               | -0.03 | 6.732       | -0.012               | -0.03 | LI         |
| VLALXC  |           | 6.602       | -0.156               | -0.43 | 6.313       | -0.431               | -1.11 | XX         |



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 325 Tensile Breaking Strength - Printing Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SF71 |                      |       | Sample SF72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| VWUVHY  |           | 6.668       | -0.091               | -0.25 | 6.851       | 0.107                | 0.28  | LH         |
| WGCGJX  |           | 7.131       | 0.372                | 1.02  | 6.969       | 0.225                | 0.58  | LI         |
| XMV7ER  |           | 6.348       | -0.411               | -1.12 | 6.578       | -0.166               | -0.43 | DM         |
| Z9QPLV  |           | 6.819       | 0.060                | 0.16  | 6.717       | -0.027               | -0.07 | LH         |
| ZQ64YK  |           | 6.529       | -0.230               | -0.63 | 6.604       | -0.140               | -0.36 | XX         |

| Summary Statistics        | Sample SF71 | Sample SF72 |
|---------------------------|-------------|-------------|
| <b>Grand Means</b>        | 6.76 kN/m   | 6.74 kN/m   |
| <b>Stnd Dev Btwn Labs</b> | 0.37 kN/m   | 0.39 kN/m   |

Statistics based on 45 of 45 reporting participants.

### Analysis Notes:

CRK8V9 - One determination removed from the Lab Mean of Sample SF71 per Grubb's Test at 1% risk (TAPPI 1205).

### Key to Instrument Codes Reported by Participants

|    |  |    |   |
|----|--|----|---|
| DL | EMIC DL500 Universal Testing Machines          | DM | IDM Horizontal Tensile Tester               |
| FP | Frank PTI Universal Tester TS                  | ID | Instron 4200 Series                         |
| IM | Instron 5500 Series                            | LA | L & W Tensile - Autoline 300                |
| LB | L & W Tensile - Autoline 400                   | LE | L & W Tensile Tester 066                    |
| LF | L & W Tensile/Fracture Toughness Tester SE 064 | LH | L & W Alwetron TH1 (Horizontal) SE 060/065F |
| LI | L & W Tensile Tester SE 062                    | LX | L & W (model not specified)                 |
| RE | Regmed   | TB | Thwing-Albert EJA/1000                      |
| TC | Thwing-Albert Electro-Hydraulic, Model 30LT    | TF | Thwing-Albert EJA Vantage-1                 |
| TJ | Thwing-Albert QC II-XS                         | TM | TMI Horizontal Tensile Tester               |
| TO | Thwing-Albert QC-1000                          | TP | TMI Monitor/Tensile 100 (84-21-01)          |
| VM | Valmet PaperLab (was Kajaani/Robotest)         | XX | Instrument make/model not specified by lab  |



# Paper & Paperboard Interlaboratory Testing Program

Analysis 325


Tensile Breaking Strength - Printing Papers

TAPPI Official Test Method T494

Report #3021S,  
September 2019

Grand Mean Sample SF71 = 6.7586  
kN/m

Grand Mean Sample SF72 = 6.7439  
kN/m





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 327 Tensile Energy Absorption - Printing Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SF71 |                      |       | Sample SF72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 2U78NL  |           | 75.54       | -19.67               | -1.80 | 74.90       | -20.45               | -1.89 | XX         |
| 7QBA4B  |           | 91.92       | -3.29                | -0.30 | 93.80       | -1.55                | -0.14 | TP         |
| 8AX9QK  |           | 95.88       | 0.67                 | 0.06  | 104.93      | 9.58                 | 0.88  | T0         |
| 8GFQ38  |           | 88.72       | -6.49                | -0.59 | 95.35       | 0.00                 | 0.00  | T0         |
| AJGB3C  |           | 72.41       | -22.80               | -2.08 | 67.95       | -27.40               | -2.53 | LA         |
| C4G9E4  |           | 91.47       | -3.74                | -0.34 | 91.93       | -3.42                | -0.32 | LH         |
| CHDMEX  |           | 111.35      | 16.14                | 1.48  | 110.18      | 14.83                | 1.37  | T0         |
| CRK8V9  |           | 91.58       | -3.63                | -0.33 | 94.93       | -0.42                | -0.04 | LH         |
| E4AYGN  |           | 87.09       | -8.12                | -0.74 | 97.18       | 1.83                 | 0.17  | LH         |
| EGVDKM  |           | 86.95       | -8.26                | -0.76 | 87.48       | -7.87                | -0.73 | ID         |
| EQ4RHH  |           | 100.88      | 5.67                 | 0.52  | 95.83       | 0.48                 | 0.04  | DL         |
| F3EKQP  |           | 94.13       | -1.08                | -0.10 | 93.87       | -1.48                | -0.14 | LX         |
| FUHUZ8  |           | 92.87       | -2.34                | -0.21 | 98.17       | 2.82                 | 0.26  | LX         |
| GBWM3G  |           | 106.10      | 10.89                | 1.00  | 110.91      | 15.56                | 1.44  | T0         |
| GDMP86  |           | 103.14      | 7.93                 | 0.73  | 104.98      | 9.63                 | 0.89  | LA         |
| GK9Z3K  |           | 97.78       | 2.57                 | 0.23  | 100.04      | 4.69                 | 0.43  | LH         |
| GYNTXJ  |           | 105.78      | 10.57                | 0.97  | 103.11      | 7.76                 | 0.72  | TB         |
| HHGZM2  | *         | 74.82       | -20.39               | -1.86 | 67.71       | -27.64               | -2.55 | IM         |
| KTQFKK  |           | 121.12      | 25.91                | 2.37  | 114.74      | 19.39                | 1.79  | TF         |
| L6HLT9  |           | 108.73      | 13.52                | 1.24  | 107.48      | 12.13                | 1.12  | FP         |
| LJVWJG  |           | 89.03       | -6.18                | -0.56 | 96.45       | 1.10                 | 0.10  | XX         |
| PHT9QV  | *         | 114.88      | 19.67                | 1.80  | 101.85      | 6.50                 | 0.60  | XX         |
| Q4P7QZ  |           | 98.11       | 2.90                 | 0.27  | 99.13       | 3.77                 | 0.35  | LH         |
| QC464B  |           | 83.75       | -11.46               | -1.05 | 91.08       | -4.27                | -0.39 | LH         |
| QRVQ2Y  |           | 90.03       | -5.18                | -0.47 | 91.40       | -3.96                | -0.36 | LI         |
| RDP993  |           | 105.19      | 9.98                 | 0.91  | 103.73      | 8.38                 | 0.77  | LF         |
| RJGJHZ  |           | 89.11       | -6.10                | -0.56 | 80.07       | -15.29               | -1.41 | RE         |
| RTLFHW  |           | 100.78      | 5.57                 | 0.51  | 97.39       | 2.04                 | 0.19  | TM         |
| UZCTCG  |           | 98.31       | 3.10                 | 0.28  | 92.74       | -2.61                | -0.24 | TF         |
| VJB7QA  |           | 83.20       | -12.01               | -1.10 | 85.52       | -9.83                | -0.91 | LI         |
| VWUVHY  |           | 99.61       | 4.40                 | 0.40  | 101.02      | 5.67                 | 0.52  | LH         |
| WGCGJX  |           | 97.75       | 2.53                 | 0.23  | 94.85       | -0.50                | -0.05 | LI         |
| Z9QPLV  |           | 91.58       | -3.63                | -0.33 | 89.67       | -5.68                | -0.52 | LH         |
| ZQ64YK  |           | 97.56       | 2.35                 | 0.21  | 101.54      | 6.19                 | 0.57  | XX         |

| Summary Statistics        | Sample SF71       | Sample SF72       |
|---------------------------|-------------------|-------------------|
| <b>Grand Means</b>        | 95.21 Joules/sq m | 95.35 Joules/sq m |
| <b>Stnd Dev Btwn Labs</b> | 10.94 Joules/sq m | 10.85 Joules/sq m |

Statistics based on 34 of 34 reporting participants.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 327

### Tensile Energy Absorption - Printing Papers

#### TAPPI Official Test Method T494

#### **Analysis Notes:**

FUHUX8 - Data appear to be reported as J/sq m, not ft-lb/sq ft as indicated on data entry form. CTS will not correct the Units going forward.

#### **Key to Instrument Codes Reported by Participants**

|    |   |    |  |
|----|---|----|--|
| DL | EMIC DL500 Universal Testing Machines       | FP | Frank PTI Universal Tester TS                  |
| ID | Instron 4200 Series                         | IM | Instron 5500 Series                            |
| LA | L & W Tensile - Autoline 300                | LF | L & W Tensile/Fracture Toughness Tester SE 064 |
| LH | L & W Alwetron TH1 (Horizontal) SE 060/065F | LI | L & W Tensile Tester SE 062                    |
| LX | L & W (model not specified)                 | RE | Regmed   |
| TB | Thwing-Albert EJA/1000                      | TF | Thwing-Albert EJA Vantage-1                    |
| TM | TMI Horizontal Tensile Tester               | TO | Thwing-Albert QC-1000                          |
| TP | TMI Monitor/Tensile 100 (84-21-01)          | XX | Instrument make/model not specified by lab     |




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 327 Tensile Energy Absorption - Printing Papers TAPPI Official Test Method T494

Report #3021S,  
September 2019

Grand Mean Sample SF71 = 95.210  
Joules/sq m

Grand Mean Sample SF72 = 95.350  
Joules/sq m





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 328 Elongation to Break - Printing Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SF71 |                      |       | Sample SF72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 2U78NL  |           | 2.153       | -0.063               | -0.28 | 2.129       | -0.095               | -0.42 | XX         |
| 7QBA4B  |           | 2.126       | -0.090               | -0.40 | 2.165       | -0.059               | -0.26 | TP         |
| 823FCY  |           | 2.174       | -0.042               | -0.19 | 2.347       | 0.123                | 0.55  | TF         |
| 8AX9QK  |           | 2.034       | -0.182               | -0.80 | 2.143       | -0.081               | -0.36 | T0         |
| 8GFQ38  |           | 2.023       | -0.193               | -0.85 | 2.125       | -0.099               | -0.44 | T0         |
| AJGB3C  |           | 2.108       | -0.108               | -0.48 | 2.018       | -0.206               | -0.91 | LA         |
| BH42P6  |           | 2.360       | 0.144                | 0.63  | 2.240       | 0.016                | 0.07  | VM         |
| C4G9E4  |           | 2.054       | -0.162               | -0.71 | 2.065       | -0.159               | -0.70 | LH         |
| CHDMEX  |           | 2.441       | 0.225                | 0.99  | 2.404       | 0.180                | 0.80  | T0         |
| CRK8V9  |           | 2.205       | -0.011               | -0.05 | 2.295       | 0.071                | 0.32  | LH         |
| E4AYGN  |           | 2.008       | -0.208               | -0.92 | 2.118       | -0.106               | -0.47 | LH         |
| EGVDKM  |           | 2.231       | 0.015                | 0.07  | 2.262       | 0.039                | 0.17  | ID         |
| EQ4RHH  |           | 2.561       | 0.345                | 1.52  | 2.467       | 0.243                | 1.08  | DL         |
| F3EKQP  |           | 2.141       | -0.075               | -0.33 | 2.138       | -0.086               | -0.38 | LX         |
| FUHUZ8  |           | 2.434       | 0.218                | 0.96  | 2.507       | 0.283                | 1.25  | LX         |
| GBWM3G  | *         | 2.851       | 0.635                | 2.79  | 2.919       | 0.695                | 3.08  | T0         |
| GDMP86  |           | 2.083       | -0.133               | -0.59 | 2.074       | -0.150               | -0.66 | XX         |
| GK9Z3K  |           | 2.049       | -0.167               | -0.74 | 2.089       | -0.135               | -0.60 | LH         |
| GYNTXJ  |           | 2.494       | 0.278                | 1.22  | 2.482       | 0.259                | 1.15  | TB         |
| HHGZM2  |           | 2.038       | -0.178               | -0.78 | 1.961       | -0.262               | -1.16 | IM         |
| KTQFKK  | *         | 2.863       | 0.647                | 2.84  | 2.787       | 0.563                | 2.49  | TF         |
| L6HLT9  |           | 2.398       | 0.182                | 0.80  | 2.454       | 0.230                | 1.02  | FP         |
| LJVWJG  |           | 2.140       | -0.076               | -0.34 | 2.236       | 0.012                | 0.05  | XX         |
| PHT9QV  |           | 2.281       | 0.065                | 0.28  | 2.135       | -0.089               | -0.39 | XX         |
| Q4P7QZ  |           | 2.055       | -0.161               | -0.71 | 2.137       | -0.087               | -0.38 | LH         |
| QC464B  |           | 1.994       | -0.222               | -0.98 | 2.074       | -0.150               | -0.66 | LH         |
| QRVQ2Y  |           | 2.009       | -0.207               | -0.91 | 1.986       | -0.238               | -1.05 | LI         |
| RDP993  |           | 2.207       | -0.009               | -0.04 | 2.193       | -0.031               | -0.14 | LF         |
| RJGJHZ  |           | 2.110       | -0.106               | -0.47 | 1.949       | -0.274               | -1.21 | RE         |
| RTLFHW  |           | 2.304       | 0.088                | 0.39  | 2.262       | 0.038                | 0.17  | TM         |
| UZCTCG  |           | 2.367       | 0.151                | 0.66  | 2.292       | 0.068                | 0.30  | TF         |
| V4VA3Z  |           | 2.094       | -0.122               | -0.54 | 2.175       | -0.049               | -0.22 | TF         |
| VJB7QA  |           | 1.954       | -0.262               | -1.15 | 1.999       | -0.225               | -0.99 | LI         |
| VWUVHY  |           | 2.254       | 0.038                | 0.17  | 2.226       | 0.002                | 0.01  | LH         |
| WGCGJX  |           | 1.908       | -0.308               | -1.36 | 1.892       | -0.332               | -1.47 | LI         |
| Z9QPLV  |           | 2.034       | -0.182               | -0.80 | 1.985       | -0.239               | -1.06 | LH         |
| ZQ64YK  |           | 2.460       | 0.244                | 1.07  | 2.542       | 0.318                | 1.41  | XX         |



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 328 Elongation to Break - Printing Papers TAPPI Official Test Method T494

| Summary Statistics        | <u>Sample SF71</u> | <u>Sample SF72</u> |
|---------------------------|--------------------|--------------------|
| <b>Grand Means</b>        | 2.22 Percent       | 2.22 Percent       |
| <b>Stnd Dev Btwn Labs</b> | 0.23 Percent       | 0.23 Percent       |

Statistics based on 37 of 37 reporting participants.

### Key to Instrument Codes Reported by Participants

|    |   |    |  |
|----|---|----|--|
| DL | EMIC DL500 Universal Testing Machines       | FP | Frank PTI Universal Tester TS                  |
| ID | Instron 4200 Series                         | IM | Instron 5500 Series                            |
| LA | L & W Tensile - Autoline 300                | LF | L & W Tensile/Fracture Toughness Tester SE 064 |
| LH | L & W Alwetron TH1 (Horizontal) SE 060/065F | LI | L & W Tensile Tester SE 062                    |
| LX | L & W (model not specified)                 | RE | Regmed   |
| TB | Thwing-Albert EJA/1000                      | TF | Thwing-Albert EJA Vantage-1                    |
| TM | TMI Horizontal Tensile Tester               | TO | Thwing-Albert QC-1000                          |
| TP | TMI Monitor/Tensile 100 (84-21-01)          | VM | Valmet PaperLab (was Kajaani/Robotest)         |
| XX | Instrument make/model not specified by lab  |    |  |




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 328 Elongation to Break - Printing Papers TAPPI Official Test Method T494

Report #3021S,  
September 2019

**Grand Mean Sample SF71 = 2.2162**  
**Percent**

**Grand Mean Sample SF72 = 2.2236**  
**Percent**





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 330 Tensile Breaking Strength - Packaging Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SE71 |                      |       | Sample SE72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 29P2XQ  | X         | 13.48       | -0.79                | -0.75 | 13.35       | -2.52                | -2.47 | IM         |
| 2GLRM8  |           | 16.40       | 2.12                 | 2.00  | 17.48       | 1.61                 | 1.58  | TH         |
| 3RUW6M  | *         | 11.41       | -2.86                | -2.70 | 13.53       | -2.34                | -2.30 | IK         |
| 3VCCGZ  |           | 15.59       | 1.32                 | 1.24  | 16.04       | 0.17                 | 0.17  | TX         |
| 4WKT8J  |           | 15.79       | 1.52                 | 1.43  | 17.55       | 1.69                 | 1.66  | LA         |
| 6CVUGE  |           | 14.08       | -0.19                | -0.18 | 15.61       | -0.25                | -0.25 | IN         |
| 6NNA7F  | *         | 13.66       | -0.62                | -0.58 | 14.15       | -1.71                | -1.68 | IN         |
| 6T29JU  |           | 14.98       | 0.70                 | 0.67  | 16.79       | 0.93                 | 0.91  | TH         |
| 6YL9XL  |           | 15.12       | 0.85                 | 0.80  | 17.45       | 1.58                 | 1.55  | LE         |
| 7ZEEZX  |           | 14.67       | 0.40                 | 0.38  | 16.49       | 0.62                 | 0.61  | LW         |
| 84XU4X  |           | 13.64       | -0.63                | -0.59 | 15.11       | -0.76                | -0.74 | LE         |
| 8AKL97  |           | 13.91       | -0.36                | -0.34 | 15.85       | -0.02                | -0.02 | LE         |
| 8J7PHQ  |           | 14.15       | -0.12                | -0.11 | 15.81       | -0.06                | -0.06 | TH         |
| 9KF4GJ  |           | 13.51       | -0.76                | -0.72 | 15.60       | -0.27                | -0.26 | IF         |
| 9W8QME  |           | 13.60       | -0.67                | -0.64 | 14.55       | -1.32                | -1.29 | TA         |
| A64XUR  | X         | 8.56        | -5.72                | -5.39 | 9.40        | -6.47                | -6.35 | TR         |
| AMXQEP  |           | 15.02       | 0.75                 | 0.71  | 16.83       | 0.96                 | 0.94  | TO         |
| B84LLL  |           | 13.25       | -1.02                | -0.96 | 15.42       | -0.44                | -0.43 | IM         |
| BVPFMD  |           | 12.92       | -1.35                | -1.28 | 14.83       | -1.03                | -1.01 | IF         |
| CAFZG7  |           | 11.99       | -2.28                | -2.15 | 13.29       | -2.57                | -2.53 | IN         |
| CHWENH  |           | 15.02       | 0.75                 | 0.71  | 16.95       | 1.09                 | 1.07  | IF         |
| EERKLH  |           | 12.97       | -1.30                | -1.23 | 15.21       | -0.66                | -0.65 | TR         |
| ERFKJC  |           | 15.42       | 1.14                 | 1.08  | 16.60       | 0.73                 | 0.72  | LW         |
| FHKYQJ  |           | 13.37       | -0.91                | -0.86 | 15.31       | -0.55                | -0.54 | XX         |
| GMBVTF  |           | 13.98       | -0.29                | -0.27 | 16.06       | 0.20                 | 0.19  | IM         |
| GNRU7D  |           | 13.92       | -0.35                | -0.33 | 15.64       | -0.22                | -0.22 | IF         |
| GXTE7K  |           | 14.40       | 0.12                 | 0.12  | 16.30       | 0.44                 | 0.43  | TH         |
| HVJPAG  |           | 16.23       | 1.96                 | 1.85  | 17.81       | 1.95                 | 1.91  | LA         |
| KAT237  |           | 15.10       | 0.83                 | 0.78  | 15.80       | -0.07                | -0.07 | IK         |
| KQZG42  |           | 14.04       | -0.23                | -0.22 | 15.98       | 0.11                 | 0.11  | LH         |
| KW9MZ8  |           | 13.35       | -0.92                | -0.87 | 15.02       | -0.85                | -0.83 | IR         |
| M76HYE  |           | 14.06       | -0.21                | -0.20 | 15.32       | -0.55                | -0.54 | LE         |
| MN9UUA  |           | 13.56       | -0.71                | -0.67 | 15.69       | -0.18                | -0.18 | TK         |
| MTYBZ9  |           | 16.38       | 2.11                 | 1.99  | 17.67       | 1.80                 | 1.77  | LX         |
| MWWWM6  |           | 13.83       | -0.44                | -0.42 | 15.00       | -0.87                | -0.85 | IK         |
| NBHKG4  |           | 15.36       | 1.08                 | 1.02  | 17.14       | 1.27                 | 1.25  | ID         |
| NQ8WQP  |           | 13.36       | -0.92                | -0.86 | 15.29       | -0.57                | -0.56 | TA         |
| NRMRV6  |           | 15.87       | 1.60                 | 1.51  | 17.62       | 1.75                 | 1.72  | XX         |
| PHT9QV  |           | 13.12       | -1.15                | -1.09 | 15.30       | -0.56                | -0.55 | LA         |
| PPVGWN  |           | 13.65       | -0.62                | -0.58 | 15.32       | -0.55                | -0.54 | TB         |



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 330 Tensile Breaking Strength - Packaging Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SE71 |                      |       | Sample SE72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| QBQMWF  |           | 13.88       | -0.39                | -0.37 | 14.79       | -1.08                | -1.06 | IF         |
| QHRVKE  |           | 14.20       | -0.07                | -0.07 | 15.20       | -0.67                | -0.65 | TT         |
| QTC2J4  |           | 15.03       | 0.75                 | 0.71  | 16.43       | 0.56                 | 0.55  | TO         |
| RTLFWH  |           | 14.66       | 0.39                 | 0.37  | 15.91       | 0.04                 | 0.04  | XX         |
| TFAMAG  |           | 13.14       | -1.13                | -1.07 | 14.81       | -1.05                | -1.03 | IM         |
| TR6RJ3  |           | 14.29       | 0.01                 | 0.01  | 16.42       | 0.55                 | 0.54  | LH         |
| TXEUNJ  |           | 15.26       | 0.99                 | 0.93  | 16.83       | 0.96                 | 0.94  | TB         |
| UZCTCG  |           | 13.91       | -0.36                | -0.34 | 14.75       | -1.12                | -1.10 | TO         |
| VBVL44  |           | 16.10       | 1.82                 | 1.72  | 17.16       | 1.29                 | 1.27  | LA         |
| VPBRBW  |           | 14.21       | -0.06                | -0.06 | 15.84       | -0.02                | -0.02 | ID         |
| X7BFHD  |           | 14.52       | 0.25                 | 0.23  | 15.29       | -0.57                | -0.56 | IK         |
| Y386YJ  |           | 14.20       | -0.07                | -0.07 | 15.90       | 0.04                 | 0.04  | IF         |
| YMEDDH  |           | 14.10       | -0.17                | -0.16 | 15.81       | -0.06                | -0.06 | IM         |
| Z9QPLV  |           | 14.96       | 0.69                 | 0.65  | 16.46       | 0.59                 | 0.58  | LH         |
| ZQ64YK  |           | 13.28       | -0.99                | -0.93 | 15.89       | 0.02                 | 0.02  | LW         |

| Summary Statistics        | Sample SE71 | Sample SE72 |
|---------------------------|-------------|-------------|
| <b>Grand Means</b>        | 14.27 kN/m  | 15.87 kN/m  |
| <b>Stnd Dev Btwn Labs</b> | 1.06 kN/m   | 1.02 kN/m   |

Statistics based on 53 of 55 reporting participants.

### Comments on Assigned Data Flags for Test #330

A64XUR (X) - Extreme Data.

29P2XQ (X) - Inconsistent in testing between samples.

### Analysis Notes:

GNRU7D - Data appears to be data for Analysis 330 Tensile but submitted as 331 TEA. Data Switched by CTS

X7BFHD - Data appears to be transposed between samples. Data Switched by CTS.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 330

### Tensile Breaking Strength - Packaging Papers

#### TAPPI Official Test Method T494

#### Key to Instrument Codes Reported by Participants

|    |  |    |  |
|----|--|----|--|
| ID | Instron 4200 Series                    | IF | Instron 3340 Series                        |
| IK | Instron 4400 Series                    | IM | Instron 5500 Series                        |
| IN | Instron 3360 Series                    | IR | Instron 5900 Series                        |
| LA | L & W Autoline                         | LE | L & W Tensile Tester 066                   |
| LH | L & W Alwetron TH1 (Horizontal) SE 060 | LW | L & W Tensile Tester SE062                 |
| LX | L & W (model not specified)            | TA | Thwing-Albert Tensile Tester               |
| TB | Thwing-Albert EJA/1000                 | TH | Thwing-Albert QC-3A                        |
| TK | Thwing-Albert Model 37-4               | TO | Thwing-Albert QC-1000                      |
| TR | TMI Horizontal Tensile Tester          | TT | Tinius Olsen Model MHT                     |
| TX | Thwing-Albert (model not specified)    | XX | Instrument make/model not specified by lab |



# Paper & Paperboard Interlaboratory Testing Program

Analysis 330


Report #3021S,  
September 2019

## Tensile Breaking Strength - Packaging Papers

TAPPI Official Test Method T494

Grand Mean Sample SE71 = 14.272  
kN/m

Grand Mean Sample SE72 = 15.866  
kN/m





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 331 Tensile Energy Absorption - Packaging Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SE71 |                      |       | Sample SE72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 3VCCGZ  | X         | 276.6       | 59.3                 | 1.60  | 177.3       | -2.6                 | -0.08 | XX         |
| 4WKT8J  |           | 223.9       | 6.6                  | 0.18  | 182.2       | 2.3                  | 0.07  | LA         |
| 6CVUGE  |           | 193.4       | -23.9                | -0.64 | 138.8       | -41.2                | -1.30 | IN         |
| 6NNA7F  |           | 237.4       | 20.1                 | 0.54  | 196.5       | 16.5                 | 0.52  | IN         |
| 6T29JU  |           | 285.2       | 67.9                 | 1.83  | 240.0       | 60.0                 | 1.90  | TH         |
| 6YL9XL  |           | 230.6       | 13.3                 | 0.36  | 207.7       | 27.8                 | 0.88  | LE         |
| 7ZEEZX  |           | 214.3       | -3.0                 | -0.08 | 160.2       | -19.7                | -0.62 | LW         |
| 84XU4X  |           | 206.1       | -11.2                | -0.30 | 161.5       | -18.4                | -0.58 | LE         |
| 8AKL97  |           | 205.2       | -12.1                | -0.33 | 165.7       | -14.2                | -0.45 | LE         |
| 9KF4GJ  |           | 201.0       | -16.3                | -0.44 | 174.6       | -5.3                 | -0.17 | IF         |
| 9W8QME  |           | 194.9       | -22.4                | -0.60 | 137.1       | -42.9                | -1.36 | TA         |
| A64XUR  |           | 127.8       | -89.5                | -2.41 | 101.3       | -78.6                | -2.48 | TR         |
| AMXQEP  |           | 210.9       | -6.5                 | -0.17 | 179.8       | -0.1                 | 0.00  | TO         |
| B84LLL  |           | 210.1       | -7.2                 | -0.19 | 186.3       | 6.4                  | 0.20  | IM         |
| BVPFMD  |           | 242.4       | 25.1                 | 0.68  | 216.3       | 36.3                 | 1.15  | IF         |
| CAFZG7  |           | 182.6       | -34.7                | -0.93 | 147.7       | -32.3                | -1.02 | IN         |
| CHWENH  |           | 190.0       | -27.4                | -0.74 | 157.5       | -22.5                | -0.71 | IN         |
| EERKLH  |           | 163.2       | -54.1                | -1.45 | 158.7       | -21.2                | -0.67 | TR         |
| ERFKJC  |           | 216.5       | -0.9                 | -0.02 | 158.8       | -21.2                | -0.67 | LW         |
| FHKYQJ  |           | 216.1       | -1.3                 | -0.03 | 200.9       | 21.0                 | 0.66  | XX         |
| GMBVTF  |           | 219.0       | 1.6                  | 0.04  | 195.4       | 15.4                 | 0.49  | IM         |
| GXTE7K  |           | 237.9       | 20.6                 | 0.55  | 211.0       | 31.1                 | 0.98  | TH         |
| HVJPGG  |           | 234.6       | 17.3                 | 0.46  | 183.6       | 3.7                  | 0.12  | LA         |
| KQZG42  |           | 188.9       | -28.4                | -0.76 | 157.6       | -22.4                | -0.71 | LH         |
| M76HYE  |           | 200.9       | -16.4                | -0.44 | 156.8       | -23.1                | -0.73 | LE         |
| MN9UUUA |           | 208.8       | -8.5                 | -0.23 | 183.7       | 3.8                  | 0.12  | TK         |
| MTYBZ9  |           | 262.1       | 44.8                 | 1.20  | 206.1       | 26.2                 | 0.83  | LX         |
| NRMRV6  | *         | 325.0       | 107.7                | 2.90  | 253.6       | 73.6                 | 2.33  | XX         |
| PHT9QV  |           | 216.4       | -0.9                 | -0.02 | 193.3       | 13.3                 | 0.42  | LA         |
| PPVGWN  |           | 211.2       | -6.2                 | -0.17 | 172.2       | -7.8                 | -0.25 | TB         |
| QBQMWF  |           | 281.7       | 64.4                 | 1.73  | 215.2       | 35.2                 | 1.11  | IF         |
| QHRVKE  |           | 185.0       | -32.3                | -0.87 | 135.7       | -44.3                | -1.40 | TT         |
| QTC2J4  |           | 224.1       | 6.8                  | 0.18  | 185.3       | 5.4                  | 0.17  | TO         |
| RTLFHW  |           | 213.3       | -4.0                 | -0.11 | 179.7       | -0.2                 | -0.01 | XX         |
| TFAMAG  |           | 283.5       | 66.2                 | 1.78  | 235.7       | 55.8                 | 1.76  | IM         |
| TR6RJ3  |           | 204.9       | -12.4                | -0.33 | 180.0       | 0.0                  | 0.00  | LH         |
| TXEUNJ  |           | 250.5       | 33.2                 | 0.89  | 203.8       | 23.9                 | 0.75  | TB         |
| UZCTCG  |           | 227.2       | 9.9                  | 0.27  | 178.8       | -1.2                 | -0.04 | TO         |
| VBVL44  | *         | 116.0       | -101.3               | -2.73 | 98.0        | -81.9                | -2.59 | LA         |
| VPBRBW  |           | 224.3       | 7.0                  | 0.19  | 177.4       | -2.5                 | -0.08 | ID         |



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 331

### Tensile Energy Absorption - Packaging Papers

#### TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SE71 |                      |       | Sample SE72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| X7BFHD  |           | 191.4       | -25.9                | -0.70 | 177.2       | -2.7                 | -0.09 | XX         |
| Y386YJ  |           | 245.9       | 28.6                 | 0.77  | 205.0       | 25.0                 | 0.79  | IF         |
| YMEDDH  |           | 238.9       | 21.6                 | 0.58  | 203.4       | 23.4                 | 0.74  | IM         |
| Z9QPLV  |           | 214.4       | -2.9                 | -0.08 | 174.1       | -5.8                 | -0.18 | LH         |
| ZQ64YK  |           | 204.6       | -12.8                | -0.34 | 183.7       | 3.7                  | 0.12  | LW         |

| Summary Statistics                                   | Sample SE71        | Sample SE72        |
|--|--------------------|--------------------|
| <b>Grand Means</b>                                   | 217.32 Joules/sq m | 179.95 Joules/sq m |
| <b>Stnd Dev Btwn Labs</b>                            | 37.17 Joules/sq m  | 31.64 Joules/sq m  |
| Statistics based on 44 of 45 reporting participants. |                    |                    |

#### Comments on Assigned Data Flags for Test #331

3VCCGZ (X) - Inconsistent in testing between samples.

#### Analysis Notes:

X7BFHD - Data appears to be transposed between samples. Data Switched by CTS.

#### Key to Instrument Codes Reported by Participants

|    |  |    |                              |
|----|--|----|------------------------------|
| ID | Instron 4200 series                        | IF | Instron 3340 Series          |
| IM | Instron 5500 Series                        | IN | Instron 3360 Series          |
| LA | L & W Autoline                             | LE | L & W Tensile Tester 066     |
| LH | L & W Alwetron TH1 (Horizontal) SE 060     | LW | L & W Tensile Tester SE062   |
| LX | L & W (model not specified)                | TA | Thwing-Albert Tensile Tester |
| TB | Thwing-Albert EJA/1000                     | TH | Thwing-Albert QC-3A          |
| TK | Thwing-Albert Model 37-4                   | TO | Thwing-Albert QC-1000        |
| TR | TMI Horizontal Tensile Tester              | TT | Tinius Olsen Model MHT       |
| XX | Instrument make/model not specified by lab |    |                              |




# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 331 Tensile Energy Absorption - Packaging Papers TAPPI Official Test Method T494

Grand Mean Sample SE71 = 217.32  
Joules/sq m

Grand Mean Sample SE72 = 179.95  
Joules/sq m





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 332 Elongation to Break - Packaging Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SE71 |                      |       | Sample SE72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 29P2XQ  |           | 2.720       | 0.445                | 1.24  | 2.050       | 0.293                | 1.02  | IR         |
| 3VCCGZ  | *         | 2.740       | 0.465                | 1.30  | 1.817       | 0.060                | 0.21  | XX         |
| 4WKT8J  |           | 1.976       | -0.299               | -0.83 | 1.548       | -0.209               | -0.72 | LA         |
| 6CVUGE  |           | 1.589       | -0.685               | -1.91 | 1.108       | -0.649               | -2.25 | IN         |
| 6NNA7F  |           | 1.973       | -0.302               | -0.84 | 1.560       | -0.197               | -0.68 | IN         |
| 6T29JU  |           | 3.017       | 0.742                | 2.07  | 2.400       | 0.643                | 2.23  | TH         |
| 6YL9XL  |           | 2.282       | 0.007                | 0.02  | 1.839       | 0.082                | 0.28  | LE         |
| 7ZEEZX  |           | 2.177       | -0.098               | -0.27 | 1.510       | -0.247               | -0.86 | LW         |
| 84XU4X  |           | 2.213       | -0.062               | -0.17 | 1.608       | -0.149               | -0.52 | LE         |
| 8AKL97  |           | 2.164       | -0.111               | -0.31 | 1.585       | -0.172               | -0.60 | LE         |
| 9KF4GJ  |           | 1.880       | -0.395               | -1.10 | 1.632       | -0.125               | -0.43 | IF         |
| 9W8QME  |           | 2.163       | -0.112               | -0.31 | 1.520       | -0.237               | -0.82 | TA         |
| A64XUR  |           | 2.291       | 0.016                | 0.05  | 1.731       | -0.026               | -0.09 | TR         |
| AMXQEP  |           | 2.288       | 0.013                | 0.04  | 1.800       | 0.043                | 0.15  | TO         |
| B84LLL  |           | 2.623       | 0.348                | 0.97  | 2.131       | 0.374                | 1.30  | IM         |
| BVPFMD  |           | 2.154       | -0.120               | -0.34 | 1.728       | -0.029               | -0.10 | IF         |
| CAFZG7  |           | 1.489       | -0.786               | -2.19 | 1.200       | -0.557               | -1.93 | IN         |
| CHWENH  |           | 1.883       | -0.392               | -1.09 | 1.444       | -0.313               | -1.09 | IN         |
| EERKLH  |           | 1.619       | -0.656               | -1.83 | 1.377       | -0.380               | -1.32 | TR         |
| ERFKJC  |           | 2.093       | -0.182               | -0.51 | 1.483       | -0.274               | -0.95 | LW         |
| FHKYQJ  |           | 2.475       | 0.200                | 0.56  | 2.067       | 0.310                | 1.08  | XX         |
| GMBVTF  |           | 2.314       | 0.039                | 0.11  | 1.843       | 0.086                | 0.30  | IM         |
| GXTE7K  |           | 2.550       | 0.275                | 0.77  | 2.030       | 0.273                | 0.95  | TH         |
| HVJPGG  |           | 2.069       | -0.206               | -0.57 | 1.515       | -0.242               | -0.84 | LA         |
| KQZG42  |           | 2.000       | -0.275               | -0.76 | 1.513       | -0.244               | -0.85 | LH         |
| KW9MZ8  |           | 2.610       | 0.335                | 0.93  | 2.010       | 0.253                | 0.88  | IR         |
| M76HYE  |           | 2.118       | -0.157               | -0.44 | 1.546       | -0.211               | -0.73 | LE         |
| MN9UUA  |           | 2.333       | 0.058                | 0.16  | 1.832       | 0.075                | 0.26  | TK         |
| MTYBZ9  |           | 2.341       | 0.066                | 0.18  | 1.738       | -0.019               | -0.07 | LX         |
| NBHKG4  |           | 2.161       | -0.114               | -0.32 | 1.717       | -0.040               | -0.14 | ID         |
| NQ8WQP  |           | 1.970       | -0.305               | -0.85 | 1.590       | -0.167               | -0.58 | TB         |
| NRMRV6  |           | 3.068       | 0.793                | 2.21  | 2.252       | 0.495                | 1.72  | XX         |
| PHT9QV  |           | 2.063       | -0.212               | -0.59 | 1.601       | -0.156               | -0.54 | LA         |
| PPVGWN  |           | 2.286       | 0.012                | 0.03  | 1.707       | -0.050               | -0.17 | TB         |
| QBQMWF  |           | 2.295       | 0.020                | 0.06  | 1.720       | -0.037               | -0.13 | IF         |
| QHRVKE  |           | 2.058       | -0.217               | -0.60 | 1.518       | -0.239               | -0.83 | TT         |
| QTC2J4  |           | 2.429       | 0.154                | 0.43  | 2.044       | 0.287                | 1.00  | TO         |
| RTLFHW  |           | 2.294       | 0.020                | 0.05  | 1.854       | 0.097                | 0.34  | XX         |
| TFAMAG  | *         | 3.340       | 1.065                | 2.97  | 2.640       | 0.883                | 3.06  | IN         |
| TR6RJ3  |           | 2.116       | -0.159               | -0.44 | 1.649       | -0.108               | -0.37 | LH         |



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 332 Elongation to Break - Packaging Papers TAPPI Official Test Method T494

| WebCode | Data Flag | Sample SE71 |                      |       | Sample SE72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| TXEUNJ  |           | 2.464       | 0.189                | 0.53  | 1.894       | 0.137                | 0.48  | TB         |
| UZCTCG  |           | 2.509       | 0.234                | 0.65  | 1.883       | 0.126                | 0.44  | T0         |
| VBVL44  |           | 1.987       | -0.288               | -0.80 | 1.582       | -0.175               | -0.61 | XX         |
| VPBRBW  |           | 2.383       | 0.109                | 0.30  | 1.761       | 0.004                | 0.01  | ID         |
| X7BFHD  | *         | 2.110       | -0.165               | -0.46 | 1.950       | 0.193                | 0.67  | XX         |
| Y386YJ  |           | 2.832       | 0.557                | 1.55  | 2.198       | 0.441                | 1.53  | IF         |
| YMEDDH  |           | 2.548       | 0.274                | 0.76  | 1.996       | 0.239                | 0.83  | IM         |
| Z9QPLV  |           | 2.113       | -0.162               | -0.45 | 1.639       | -0.118               | -0.41 | LH         |
| ZQ64YK  |           | 2.285       | 0.010                | 0.03  | 1.733       | -0.024               | -0.08 | LW         |

| Summary Statistics        | Sample SE71  | Sample SE72  |
|---------------------------|--------------|--------------|
| <b>Grand Means</b>        | 2.27 Percent | 1.76 Percent |
| <b>Stnd Dev Btwn Labs</b> | 0.36 Percent | 0.29 Percent |

Statistics based on 49 of 49 reporting participants.

### Analysis Notes:

X7BFHD - Data appears to be transposed between samples. Data Switched by CTS.

### Key to Instrument Codes Reported by Participants

|    |                              |    |  |
|----|------------------------------|----|--|
| ID | Instron 4200 Series          | IF | Instron 3340 Series                        |
| IM | Instron 5500 Series          | IN | Instron 3360 Series                        |
| IR | Instron 5900 Series          | LA | L & W Autoline 300                         |
| LE | L & W Tensile Tester 066     | LH | L & W Alwetron TH1 (Horizontal) SE 060     |
| LW | L & W Tensile Tester SE062   | LX | L & W (model not specified)                |
| TA | Thwing-Albert Tensile Tester | TB | Thwing-Albert EJA/1000                     |
| TH | Thwing-Albert QC-3A          | TK | Thwing-Albert Model 37-4                   |
| TO | Thwing-Albert QC-1000        | TR | TMI Horizontal Tensile Tester              |
| TT | Tinius Olsen Model MHT       | XX | Instrument make/model not specified by lab |




## **Paper & Paperboard Interlaboratory Testing Program**

**Analysis 332**  
**Elongation to Break - Packaging Papers**  
**TAPPI Official Test Method T494**

## Report #3021S, September 2019

## **Grand Mean Sample SE71 = 2.2746**

## **Grand Mean Sample SE72 = 1.7570 Percent**





# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 334 Folding Endurance (MIT) - Double Folds TAPPI Official Test Method T511

| WebCode | Data Flag | Sample SG71 |                      |       | Sample SG72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 2HVRQT  |           | 223.4       | -17.8                | -0.32 | 218.0       | -5.3                 | -0.12 | MT         |
| 4ZMPWD  |           | 145.2       | -96.0                | -1.75 | 148.9       | -74.4                | -1.76 | MT         |
| 6T29JU  |           | 262.0       | 20.8                 | 0.38  | 255.5       | 32.2                 | 0.76  | MT         |
| 993UYL  |           | 241.8       | 0.6                  | 0.01  | 270.5       | 47.2                 | 1.12  | MT         |
| BH42P6  |           | 172.8       | -68.4                | -1.25 | 178.6       | -44.7                | -1.05 | MT         |
| EERKLH  |           | 311.5       | 70.3                 | 1.28  | 171.5       | -51.8                | -1.22 | MT         |
| FHKYQJ  |           | 325.6       | 84.4                 | 1.54  | 273.7       | 50.4                 | 1.19  | MT         |
| J23EEV  |           | 291.4       | 50.2                 | 0.92  | 285.1       | 61.8                 | 1.46  | MT         |
| NQ8WQP  |           | 187.6       | -53.6                | -0.98 | 192.3       | -31.0                | -0.73 | MT         |
| QRVQ2Y  |           | 213.9       | -27.3                | -0.50 | 211.1       | -12.2                | -0.29 | MT         |
| V4VA3Z  |           | 210.8       | -30.4                | -0.55 | 222.7       | -0.6                 | -0.01 | MT         |
| YMEDDH  |           | 273.8       | 32.6                 | 0.59  | 228.1       | 4.8                  | 0.11  | MT         |
| ZQ64YK  |           | 275.8       | 34.6                 | 0.63  | 246.4       | 23.1                 | 0.55  | MT         |

| Summary Statistics        | Sample SG71         | Sample SG72         |
|---------------------------|---------------------|---------------------|
| <b>Grand Means</b>        | 241.20 Double Folds | 223.26 Double Folds |
| <b>Stnd Dev Btwn Labs</b> | 54.80 Double Folds  | 42.36 Double Folds  |

Statistics based on 13 of 13 reporting participants.

### Key to Instrument Codes Reported by Participants

MT MIT - Tinius Olsen




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 334 Folding Endurance (MIT) - Double Folds TAPPI Official Test Method T511

Report #3021S,  
September 2019

**Grand Mean Sample SG71 = 241.20**  
**Double Folds**

**Grand Mean Sample SG72 = 223.26**  
**Double Folds**



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

## Analysis 336 Bending Resistance, Gurley Type TAPPI Official Test Method T543

Report #3021S,  
September 2019

| WebCode | Data Flag | Sample SH71 |                      |       | Sample SH72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 2A2MWR  |           | 134.6       | -8.9                 | -0.67 | 137.5       | -6.3                 | -0.45 |
| 2HVRQT  |           | 140.5       | -3.0                 | -0.23 | 132.9       | -11.0                | -0.78 |
| 7QBA4B  |           | 142.2       | -1.3                 | -0.09 | 140.9       | -2.9                 | -0.21 |
| 7XVAJM  |           | 145.0       | 1.5                  | 0.11  | 147.0       | 3.1                  | 0.22  |
| 8AX9QK  |           | 144.0       | 0.5                  | 0.04  | 143.7       | -0.1                 | -0.01 |
| AB4JDE  |           | 136.3       | -7.2                 | -0.54 | 138.1       | -5.8                 | -0.41 |
| AJGB3C  |           | 156.8       | 13.3                 | 0.99  | 156.2       | 12.4                 | 0.88  |
| BH42P6  |           | 169.6       | 26.1                 | 1.94  | 171.6       | 27.7                 | 1.97  |
| CHDMEX  |           | 138.1       | -5.4                 | -0.40 | 138.3       | -5.6                 | -0.39 |
| E4AYGN  |           | 154.5       | 11.0                 | 0.82  | 160.7       | 16.9                 | 1.20  |
| FHKYQJ  |           | 151.4       | 7.9                  | 0.59  | 152.1       | 8.2                  | 0.58  |
| GK9Z3K  |           | 111.4       | -32.1                | -2.39 | 109.2       | -34.6                | -2.45 |
| GYNTXJ  |           | 141.2       | -2.3                 | -0.17 | 149.0       | 5.1                  | 0.36  |
| KTQFKK  | X         | 276.7       | 133.2                | 9.92  | 273.3       | 129.5                | 9.18  |
| NQ8WQP  |           | 145.5       | 2.0                  | 0.15  | 142.9       | -1.0                 | -0.07 |
| PPVGWN  |           | 122.1       | -21.4                | -1.59 | 123.0       | -20.9                | -1.48 |
| RHLV4B  |           | 146.3       | 2.8                  | 0.21  | 147.0       | 3.1                  | 0.22  |
| VC9Y7E  | X         | 133.7       | -9.8                 | -0.73 | 157.7       | 13.8                 | 0.98  |
| Y386YJ  |           | 162.1       | 18.6                 | 1.38  | 157.6       | 13.8                 | 0.98  |
| YMEDDH  |           | 141.4       | -2.1                 | -0.16 | 141.6       | -2.2                 | -0.16 |

| Summary Statistics                                   | Sample SH71         | Sample SH72         |
|--|---------------------|---------------------|
| <b>Grand Means</b>                                   | 143.50 Gurley Units | 143.85 Gurley Units |
| <b>Stnd Dev Btwn Labs</b>                            | 13.43 Gurley Units  | 14.11 Gurley Units  |
| Statistics based on 18 of 20 reporting participants. |                     |                     |

### Comments on Assigned Data Flags for Test #336

KTQFKK (X) - Extreme Data.


VC9Y7E (X) - Inconsistent in testing between samples.



# Paper & Paperboard Interlaboratory Testing Program

Analysis 336  
Bending Resistance, Gurley Type  
TAPPI Official Test Method T543

Report #3021S,  
September 2019



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 338

### Bending Resistance, Taber Type - 0 to 10 Units

#### TAPPI Official Test Method T566

| WebCode | Data Flag | Sample SJ71 |                      |       | Sample SJ72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 2GKUDC  |           | 2.060       | -1.583               | -1.82 | 1.790       | -1.824               | -1.94 |
| 4ZMPWD  |           | 3.832       | 0.189                | 0.22  | 3.972       | 0.358                | 0.38  |
| 84DZHN  |           | 2.100       | -1.543               | -1.77 | 2.030       | -1.584               | -1.69 |
| CHWENH  |           | 5.130       | 1.487                | 1.71  | 5.150       | 1.536                | 1.64  |
| E4AYGN  |           | 4.091       | 0.448                | 0.51  | 4.031       | 0.417                | 0.44  |
| ERFKJC  |           | 3.210       | -0.433               | -0.50 | 3.190       | -0.424               | -0.45 |
| FUHUZ8  |           | 3.645       | 0.002                | 0.00  | 3.676       | 0.062                | 0.07  |
| GBWM3G  |           | 4.223       | 0.580                | 0.67  | 4.266       | 0.652                | 0.69  |
| GYNTXJ  |           | 3.946       | 0.303                | 0.35  | 3.842       | 0.227                | 0.24  |
| VLALXC  |           | 3.423       | -0.220               | -0.25 | 3.320       | -0.294               | -0.31 |
| Y386YJ  |           | 3.846       | 0.203                | 0.23  | 3.889       | 0.275                | 0.29  |
| YMEDDH  |           | 4.209       | 0.566                | 0.65  | 4.217       | 0.603                | 0.64  |

| Summary Statistics        | Sample SJ71      | Sample SJ72      |
|---------------------------|------------------|------------------|
| <b>Grand Means</b>        | 3.64 Taber Units | 3.61 Taber Units |
| <b>Stnd Dev Btwn Labs</b> | 0.87 Taber Units | 0.94 Taber Units |

Statistics based on 12 of 12 reporting participants.

#### Analysis Notes:

Y386YJ - Data appear to be reported as g-cm, not mN-m as indicated on data entry form. CTS will not correct the Units going forward.




# Paper & Paperboard Interlaboratory Testing Program

Analysis 338  
Bending Resistance, Taber Type - 0 to 10 Units  
TAPPI Official Test Method T566

Report #3021S,  
September 2019

**Grand Mean Sample SJ71 = 3.6429**  
**Taber Units**

**Grand Mean Sample SJ72 = 3.6144**  
**Taber Units**



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 339

### Bending Resistance, Taber Type - 10 to 100 Taber Units

#### TAPPI Official Test Method T489

| WebCode | Data Flag | Sample SQ71 |                      |       | Sample SQ72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 6YL9XL  |           | 24.87       | 3.53                 | 0.90  | 45.41       | 4.53                 | 0.92  |
| 7XVAJM  |           | 20.24       | -1.10                | -0.28 | 38.38       | -2.50                | -0.51 |
| 8GFQ38  |           | 22.25       | 0.91                 | 0.23  | 41.15       | 0.27                 | 0.05  |
| AB4JDE  |           | 22.56       | 1.22                 | 0.31  | 41.36       | 0.48                 | 0.10  |
| ERFKJC  |           | 18.60       | -2.74                | -0.70 | 35.55       | -5.33                | -1.08 |
| PHT9QV  |           | 19.23       | -2.11                | -0.54 | 38.21       | -2.67                | -0.54 |
| RTLFHW  |           | 13.20       | -8.14                | -2.09 | 32.40       | -8.48                | -1.72 |
| TXEUNJ  |           | 27.65       | 6.31                 | 1.62  | 49.32       | 8.44                 | 1.71  |
| YMEDDH  |           | 23.01       | 1.67                 | 0.43  | 43.27       | 2.39                 | 0.48  |
| ZQ64YK  |           | 21.82       | 0.48                 | 0.12  | 43.76       | 2.88                 | 0.58  |

| Summary Statistics        | Sample SQ71       | Sample SQ72       |
|---------------------------|-------------------|-------------------|
| <b>Grand Means</b>        | 21.34 Taber Units | 40.88 Taber Units |
| <b>Stnd Dev Btwn Labs</b> | 3.90 Taber Units  | 4.94 Taber Units  |

Statistics based on 10 of 10 reporting participants.




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 339 Bending Resistance, Taber Type - 10 to 100 Taber Units TAPPI Official Test Method T489

Report #3021S,  
September 2019

**Grand Mean Sample SQ71 = 21.343**  
**Taber Units**

**Grand Mean Sample SQ72 = 40.881**  
**Taber Units**



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Analysis 340

Report #3021S,  
September 2019

## Bending Resistance, Taber Type - 50 to 500 Taber Units - Recycled Paperboard TAPPI Official Test Method T489

| WebCode | Data Flag | Sample ST71 |                      |       | Sample ST72 |                      |       |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |
| 6T29JU  |           | 174.0       | -0.8                 | -0.12 | 176.5       | 1.5                  | 0.19  |
| 8J7PHQ  | *         | 192.0       | 17.2                 | 2.69  | 199.3       | 24.2                 | 3.09  |
| A64XUR  |           | 170.1       | -4.6                 | -0.72 | 166.9       | -8.1                 | -1.03 |
| A83EZU  |           | 174.3       | -0.5                 | -0.08 | 172.6       | -2.4                 | -0.30 |
| AB4JDE  |           | 180.2       | 5.5                  | 0.85  | 179.6       | 4.6                  | 0.58  |
| AX2Q9W  |           | 176.4       | 1.6                  | 0.25  | 175.8       | 0.8                  | 0.10  |
| CALC3G  |           | 169.0       | -5.8                 | -0.90 | 181.3       | 6.3                  | 0.80  |
| ERFKJC  |           | 181.5       | 6.7                  | 1.05  | 171.8       | -3.3                 | -0.42 |
| F7DVLP  |           | 171.0       | -3.8                 | -0.59 | 171.5       | -3.5                 | -0.45 |
| FHKYQJ  |           | 166.6       | -8.2                 | -1.28 | 168.7       | -6.3                 | -0.80 |
| GNRU7D  |           | 181.4       | 6.6                  | 1.04  | 184.1       | 9.1                  | 1.16  |
| MH6X3X  |           | 178.5       | 3.7                  | 0.58  | 173.6       | -1.4                 | -0.18 |
| PGH9PV  |           | 168.8       | -6.0                 | -0.93 | 170.3       | -4.7                 | -0.60 |
| RTLFHW  |           | 171.3       | -3.5                 | -0.54 | 170.3       | -4.7                 | -0.60 |
| RVUNPW  |           | 171.8       | -3.0                 | -0.46 | 173.1       | -1.9                 | -0.25 |
| YVQAHN  |           | 169.2       | -5.6                 | -0.87 | 167.3       | -7.7                 | -0.99 |
| ZQ64YK  |           | 174.9       | 0.1                  | 0.02  | 172.7       | -2.4                 | -0.30 |

| Summary Statistics | Sample ST71        | Sample ST72        |
|--------------------|--------------------|--------------------|
| Grand Means        | 174.76 Taber Units | 175.02 Taber Units |
| Stnd Dev Btwn Labs | 6.41 Taber Units   | 7.83 Taber Units   |

Statistics based on 17 of 17 reporting participants.



# Paper & Paperboard Interlaboratory Testing Program


Analysis 340

Report #3021S,  
September 2019

Bending Resistance, Taber Type - 50 to 500 Taber Units - Recycled Paperboard  
TAPPI Official Test Method T489

Grand Mean Sample ST71 = 174.76  
Taber Units

Grand Mean Sample ST72 = 175.02  
Taber Units



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 343

### Z-Direction Tensile

#### TAPPI Official Test Method T541

| WebCode | Data Flag | Sample SM71 |                      |       | Sample SM72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 6T29JU  |           | 67.82       | -27.34               | -1.08 | 67.72       | -27.29               | -1.08 | LW         |
| 6YL9XL  |           | 103.00      | 7.84                 | 0.31  | 104.16      | 9.15                 | 0.36  | TA         |
| A83EZU  |           | 69.07       | -26.09               | -1.03 | 69.18       | -25.82               | -1.02 | LW         |
| EREU6G  |           | 104.84      | 9.68                 | 0.38  | 102.96      | 7.95                 | 0.31  | CD         |
| GXTE7K  |           | 83.60       | -11.56               | -0.46 | 81.60       | -13.41               | -0.53 | TA         |
| KJN3L6  |           | 98.00       | 2.84                 | 0.11  | 97.68       | 2.67                 | 0.11  | DX         |
| R4NTHX  |           | 97.52       | 2.36                 | 0.09  | 100.02      | 5.01                 | 0.20  | DX         |
| RDP993  |           | 76.46       | -18.70               | -0.74 | 75.65       | -19.35               | -0.77 | LW         |
| TXEUNJ  |           | 97.92       | 2.76                 | 0.11  | 94.50       | -0.51                | -0.02 | TA         |
| Y386YJ  |           | 95.50       | 0.34                 | 0.01  | 96.15       | 1.14                 | 0.05  | TL         |
| YMEDDH  |           | 79.64       | -15.52               | -0.62 | 81.04       | -13.97               | -0.55 | CD         |
| ZQ64YK  |           | 95.70       | 0.54                 | 0.02  | 96.42       | 1.41                 | 0.06  | LW         |
| ZQPM4Q  |           | 168.00      | 72.84                | 2.89  | 168.00      | 72.99                | 2.89  | TA         |

| Summary Statistics        | Sample SM71 | Sample SM72 |
|---------------------------|-------------|-------------|
| <b>Grand Means</b>        | 95.16 psi   | 95.01 psi   |
| <b>Stnd Dev Btwn Labs</b> | 25.22 psi   | 25.28 psi   |

Statistics based on 13 of 13 reporting participants.

#### Key to Instrument Codes Reported by Participants

|    |                         |    |                              |
|----|-------------------------|----|------------------------------|
| CD | CSI CS-163D             | DX | Dek-Tron XP2 Series          |
| LW | L & W ZD Tensile Tester | TA | Thwing-Albert Tensile Tester |
| TL | TMI Lab Master          |    |                              |




# Paper & Paperboard Interlaboratory Testing Program

Analysis 343  
Z-Direction Tensile  
TAPPI Official Test Method T541

Report #3021S,  
September 2019

**Grand Mean Sample SM71 = 95.160**  
psi

**Grand Mean Sample SM72 = 95.006**  
psi



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 345 Z-Direction Tensile, Recycled Paperboard TAPPI Official Test Method T541

| WebCode | Data Flag | Sample SZ71 |                      |       | Sample SZ72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 2ER43Q  |           | 63.62       | 2.88                 | 0.36  | 63.62       | 1.36                 | 0.16  | PG         |
| 6DQ89D  |           | 57.60       | -3.14                | -0.39 | 60.80       | -1.45                | -0.17 | CA         |
| AB4JDE  |           | 63.98       | 3.24                 | 0.41  | 65.40       | 3.15                 | 0.36  | CA         |
| AX2Q9W  |           | 66.80       | 6.06                 | 0.76  | 67.60       | 5.35                 | 0.61  | CA         |
| CALC3G  |           | 61.72       | 0.98                 | 0.12  | 60.08       | -2.17                | -0.25 | CD         |
| DQ6HXD  |           | 58.84       | -1.90                | -0.24 | 68.72       | 6.47                 | 0.74  | LW         |
| F7DVLP  |           | 69.32       | 8.58                 | 1.08  | 73.10       | 10.85                | 1.24  | TA         |
| FHKYQJ  |           | 61.00       | 0.26                 | 0.03  | 64.40       | 2.15                 | 0.25  | CA         |
| HVJPGG  |           | 51.51       | -9.23                | -1.16 | 57.70       | -4.56                | -0.52 | TA         |
| KGFZJ8  |           | 69.96       | 9.22                 | 1.16  | 71.20       | 8.95                 | 1.02  | LW         |
| MH6X3X  |           | 58.40       | -2.34                | -0.29 | 58.04       | -4.21                | -0.48 | CD         |
| N6T6UH  |           | 45.40       | -15.34               | -1.93 | 47.34       | -14.91               | -1.71 | LW         |
| PGH9PV  |           | 48.22       | -12.52               | -1.57 | 46.36       | -15.89               | -1.82 | TZ         |
| RVUNPW  |           | 65.40       | 4.66                 | 0.59  | 65.00       | 2.75                 | 0.31  | CA         |
| TP3QJ7  |           | 62.12       | 1.38                 | 0.17  | 62.20       | -0.05                | -0.01 | LW         |
| YVQAHN  |           | 75.60       | 14.86                | 1.87  | 77.60       | 15.35                | 1.76  | LW         |
| ZQ64YK  |           | 53.12       | -7.62                | -0.96 | 49.16       | -13.09               | -1.50 | XX         |

| Summary Statistics        | Sample SZ71 | Sample SZ72 |
|---------------------------|-------------|-------------|
| <b>Grand Means</b>        | 60.74 psi   | 62.25 psi   |
| <b>Stnd Dev Btwn Labs</b> | 7.96 psi    | 8.73 psi    |

Statistics based on 17 of 17 reporting participants.

### Key to Instrument Codes Reported by Participants

|    |  |    |                               |
|----|--|----|-------------------------------|
| CA | CSI CS-163                                 | CD | CSI CS-163D                   |
| LW | L & W ZD Tensile Tester                    | PG | Perkins Model A Mullen Tester |
| TA | Thwing-Albert Tensile Tester               | TZ | TMI Monitor/ZDT Tester        |
| XX | Instrument make/model not specified by lab |    |                               |



# Paper & Paperboard Interlaboratory Testing Program


Analysis 345  
Z-Direction Tensile, Recycled Paperboard  
TAPPI Official Test Method T541

Report #3021S,  
September 2019

**Grand Mean Sample SZ71 = 60.742**  
psi

**Grand Mean Sample SZ72 = 62.254**  
psi

ANALYSIS 345



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 348

### Internal Bond Strength - Modified Scott Mechanics

#### TAPPI Provisional Test Method T569

| WebCode | Data Flag | Sample SN71 |                      |       | Sample SN72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 6T29JU  |           | 139.0       | -24.1                | -1.19 | 124.8       | -34.5                | -1.70 | HZ         |
| 6YL9XL  |           | 186.0       | 22.9                 | 1.13  | 184.6       | 25.3                 | 1.25  | HY         |
| AMXQEP  |           | 182.0       | 18.9                 | 0.94  | 174.4       | 15.1                 | 0.75  | HY         |
| AX2Q9W  |           | 150.0       | -13.1                | -0.65 | 147.6       | -11.7                | -0.58 | HY         |
| BH42P6  |           | 170.8       | 7.7                  | 0.38  | 163.0       | 3.7                  | 0.18  | HY         |
| CHDMEX  |           | 146.6       | -16.5                | -0.82 | 144.2       | -15.1                | -0.74 | HY         |
| E4AYGN  |           | 149.2       | -13.9                | -0.69 | 152.4       | -6.8                 | -0.34 | KR         |
| F3EKQP  |           | 192.5       | 29.4                 | 1.46  | 190.2       | 30.9                 | 1.52  | HY         |
| FHKYQJ  |           | 157.4       | -5.7                 | -0.28 | 161.0       | 1.7                  | 0.08  | HZ         |
| GK9Z3K  |           | 167.6       | 4.5                  | 0.22  | 166.8       | 7.5                  | 0.37  | HZ         |
| KTQFKK  |           | 168.6       | 5.5                  | 0.27  | 163.6       | 4.3                  | 0.21  | HY         |
| PPVGWN  |           | 160.6       | -2.5                 | -0.13 | 156.3       | -3.0                 | -0.15 | HY         |
| QTC2J4  |           | 176.2       | 13.1                 | 0.65  | 176.6       | 17.3                 | 0.85  | HZ         |
| RJGJHZ  |           | 162.4       | -0.7                 | -0.04 | 156.2       | -3.1                 | -0.15 | HY         |
| TXEUNJ  |           | 177.0       | 13.9                 | 0.69  | 169.0       | 9.7                  | 0.48  | HZ         |
| ZQ64YK  |           | 177.2       | 14.1                 | 0.70  | 168.4       | 9.1                  | 0.45  | HY         |
| ZQPM4Q  |           | 109.8       | -53.3                | -2.64 | 108.6       | -50.7                | -2.50 | HY         |

| Summary Statistics        | Sample SN71          | Sample SN72          |
|---------------------------|----------------------|----------------------|
| <b>Grand Means</b>        | 163.11 1000th ft-lbs | 159.28 1000th ft-lbs |
| <b>Stnd Dev Btwn Labs</b> | 20.19 1000th ft-lbs  | 20.28 1000th ft-lbs  |

Statistics based on 17 of 17 reporting participants.

#### Key to Instrument Codes Reported by Participants

- HY Huygen Digitized Scott Internal Bond Tester      HZ Huygen Internal Bond Tester with AccuPress  
KR Kumagai Riki Kogyo Internal Bond Tester



# Paper & Paperboard Interlaboratory Testing Program

Analysis 348


Internal Bond Strength - Modified Scott Mechanics

TAPPI Provisional Test Method T569

Report #3021S,  
September 2019

**Grand Mean Sample SN71 = 163.11  
1000th ft-lbs**

**Grand Mean Sample SN72 = 159.28  
1000th ft-lbs**



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Report #3021S,  
September 2019

## Analysis 349 Internal Bond Strength - Scott Bond Models TAPPI Provisional Test Method T569

| WebCode | Data Flag | Sample SP71 |                      |       | Sample SP72 |                      |       | Instr Code |
|---------|-----------|-------------|----------------------|-------|-------------|----------------------|-------|------------|
|         |           | Lab Mean    | Diff from Grand Mean | CPV   | Lab Mean    | Diff from Grand Mean | CPV   |            |
| 4JBDYT  |           | 135.2       | -21.1                | -0.77 | 138.6       | -9.3                 | -0.26 | TM         |
| A83EZU  |           | 115.0       | -41.4                | -1.50 | 110.7       | -37.2                | -1.05 | TM         |
| B6F2TB  |           | 153.2       | -3.1                 | -0.11 | 86.2        | -61.6                | -1.75 | SC         |
| ERFKJC  |           | 196.9       | 40.6                 | 1.48  | 195.8       | 48.0                 | 1.36  | XX         |
| GBWM3G  |           | 137.4       | -18.9                | -0.69 | 132.4       | -15.4                | -0.44 | SC         |
| GDMP86  |           | 191.0       | 34.7                 | 1.26  | 190.8       | 43.0                 | 1.22  | SC         |
| QC464B  |           | 136.9       | -19.4                | -0.70 | 134.4       | -13.5                | -0.38 | XX         |
| RTLFHW  |           | 186.6       | 30.3                 | 1.10  | 182.6       | 34.8                 | 0.99  | TM         |
| TP3QJ7  |           | 147.0       | -9.3                 | -0.34 | 147.6       | -0.2                 | -0.01 | XX         |
| Z9QPLV  |           | 163.9       | 7.6                  | 0.28  | 159.4       | 11.6                 | 0.33  | TM         |

| Summary Statistics        | Sample SP71          | Sample SP72          |
|---------------------------|----------------------|----------------------|
| <b>Grand Means</b>        | 156.32 1000th ft-lbs | 147.84 1000th ft-lbs |
| <b>Stnd Dev Btwn Labs</b> | 27.51 1000th ft-lbs  | 35.24 1000th ft-lbs  |

Statistics based on 10 of 10 reporting participants.

### Key to Instrument Codes Reported by Participants

SC Scott Internal Bond Tester (Manual)

TM TMI Monitor/Internal Bond Tester

XX Instrument make/model not specified by lab




# Paper & Paperboard Interlaboratory Testing Program

## Analysis 349 Internal Bond Strength - Scott Bond Models TAPPI Provisional Test Method T569

Report #3021S,  
September 2019

**Grand Mean Sample SP71 = 156.32**  
**1000th ft-lbs**

**Grand Mean Sample SP72 = 147.84**  
**1000th ft-lbs**



If fewer than 20 laboratories are included in an analysis, a control ellipse will not be drawn on the two-sample plot.



# Paper & Paperboard Interlaboratory Testing Program

Analysis 349

Internal Bond Strength - Scott Bond Models

TAPPI Provisional Test Method T569

Report #3021S,  
September 2019

---

-End of Report-